

**Hakeem Abdul Hameed Centenary Hospital
Jamia Hamdard, Hamdard Nagar
New Delhi 110062**

Reference No. HAHC/JH/Rep/Q/2012

Dated: 15/02/2012

NOTICE INVITING QUOTATION

Sealed quotation is required from the manufacturer/dealer for the supply/repair of Insulated GI Hot water supply pipe line from Solar Water Heater to utility points as per specification given below. Quotation should be marked as "Quotation for" and address to Registrar, Jamia Hamdard, Hamdard Nagar, New Delhi 110062. Last date for submission of quotation is February 29, 2012.

Requirement and Specification

- | | |
|--|--------|
| 01. Insulated GI Pipe Line
Make: Jindal/Hissar
Size: 01" (25mm)
Insulation material 13mm thickness | 80mtrs |
| 02. Evacuated Tube collector with Silicon seal rubber
Size: Length – 1500mm, Diameter (outer)-47 mm
Coating: Triple (Cu, SS & AIN) | 45Nos |
| 03. Wire Mesh for Monkey Protection
a. Size of frame: 4x6.5ft
b. Guage: 14 and size of rectangle 2x2"
c. Iron Angle: 1 inch 1 sut
d. Cross Patti: 0.75 "; thickness 1.25 sut | 20 nos |