



JAMIA HAMDARD

(Deemed to be University)

(Tender No. : JH/PS/Tender-21/RC/Aug-2023)

PROFORMA FOR QUOTATION

Group-‘C’- Detail of UPS, Printers, LCD Projector, Stabilizers and Consumable for UPS, Printers

Sl. No.	Item	Specification	GST	Quoted Price	Authorized (Yes/No)
	Stabilizers	0.25 KVA – Input Range 160 to 260V			
		0.50 KVA – Input Range 160 to 260V			
		1.00 KVA – Input Range 160 to 260V			
		2.00 KVA – Input Range 160 to 260V			
		3.00 KVA – Input Range 160 to 260V			
		4.00 KVA – Input Range 160 to 260V			
		5.00 KVA – Input Range 160 to 260V			
	UPS (Line Interactive)	600 VA with SMF Batteries for 10 Min. Backup			
		0.65 KVA with SMF Batteries for 30 Min. Backup			
		1.0 KVA with SMF Batteries for 30 Min. Backup			
		2.0 KVA with SMF Batteries for 30 Min. Backup			
		3.0 KVA with SMF Batteries for 30 Min. Backup			
		5.0 KVA with SMF Batteries for 30 Min. Backup			
	Online UPS	1.0 KVA with SMF Batteries for 30 Min. / 1 Hr. Backup (Single I/P & Single Phase O/P)			
		2.0 KVA with SMF Batteries for 30 Min. / 1 Hr. Backup (Single I/P & Single Phase O/P)			
		3.0 KVA with SMF Batteries for 30 Min. / 1 Hr. Backup (Single I/P & Single Phase O/P)			
		5.0 KVA with SMF Batteries for 30 Min. / 1 Hr. Backup (Single I/P & Single Phase O/P)			
	Consumable for UPS (SMF Batteries)	12 V 100 AH			
		12V 17 AH			
		12V 26 AH			
		12V 42 AH			
		12V 65 AH			
		12V 7 AH			
		500 VA			
		625 VA			
	Consumable for Printers (Cartridge & Ribbon etc.)	HP LJ 1000			
		HP LJ 1020			
		HP P1007			
		HP LJ 1505			
		HP DJ D2668			
		HP LJ 6L			
		HP 930 C			
		HP 1018 LJ			
		HP 3820			
		HP 1015			
		HP 5550 DJ			
		HP 6L PRO LJ			
		HP CP 1215			
		HP 3325			
		HP F380			
		HP P1008			
		HP DJ 3820			
		HP DJ 1125C			
		HP LJ 4MV			
		HP 1022 LJ			
HP 1010 LJ					

Sl. No.	Item	Specification	GST	Quoted Price	Authorized (Yes/No)
		HP 2010			
		HP 4288 LJ			
		HP LJ 1160			
		HP 1100 LJ			
		HP 1320 LJ			
		HP 1150 LJ			
		HP 640 DJ			
		HP 2550 CLJ			
		HP 1005 LJ			
		HP 3940			
		HP F2120			
		HP F4488 PSC			
		HP 2300 D			
		HP 3550			
		HP 4248 F			
		HP 670 C			
		HP 656 C			
		HP D2568			
		HP 2820 CLJ			
		HP 1160 LJ			
		HP DJ574P			
		HP DJ 840C			
		HP LJ 1020 plus			
		HP DJ 5652			
		HP 5500			
		HP 1020LG			
		HP P100 LG			
		HP 5160			
		HP CP1515X1 COLOR LG			
		HP 3328			
		HP LG 2200			
		HP INKJET 1000			
		HP L.J 1300			
		HP ALL IN ONE			
		HP COLOR JET 2600N			
		HP L J -1010 -01			
		HP L J P1007 -01			
		HP 5652			
		HP PSC 1410			
		HP 5748 DJ			
		HP LJ 1022			
		HP 4168 DJ			
		HP 810 C			
		HP 3550 DJ			
		HP 1300 LJ			
		HP 5632			
		HP 890C			
		HP D5168			
		HP 7600, HP DJ 2360			
		HP 1022			
		HP P1505			
		HP 1012 LJ			
		HP LJ 3600, HP 2100			
		HP LJ M 277DW			
		HP LJ CP 1525N			
		HP Laser Jet Pro MFP M 277 dw Color			
		HP Laser Jet CP1525n color			
		Samsung 1710 LJ			

Sl. No.	Item	Specification	GST	Quoted Price	Authorized (Yes/No)
		Samsung ML-1210			
		Samsung ML-1640			
		Samsung CLP-310N			
		SAMSUNG ML.1610			
		Samsung SCX 4200			
		SAMSUNG 1610 ML			
		Cannon LBP 2900B			
		TVS MSP			
		EPSON LQ 300+ II			
		TVS MSP 250			
		LIPI-6306 Line Printer			
		Panasonic P1121			
		Argox Barcode			
		Wipro LQ 1050+			
		Panasonic P1121			
		Epson LQ-570+			
		PRITRONIX P7 LINE PRINTER			
		CANNON G3			
		TVS MSP 250 XL			
		EPSON LQ-2070			
		LIPI-6306 Line Printer			
		Epson 1150 DMP Printer			
		EPSON LQ 300			
	Printers Laser Jet	HP LJ 1020+			
		HP Laser126 NW			
		HP MFP M 1136			
		HP Laser Jet 128 FW			
		HP MFP M 1005			
		HP Color Laser Jet Printer Pro 2 M 254 NW			
		HP LJ 1200 W			
		HP LJ 150 NW colour Printer			
		HP LJ 108A			
		HP LJ 108W			
		HP LJ 1008			
		HP LJ 208 DW			
		HP LJ 126A			
		HP LJ 136 A			
		HP LJ 126 NW			
		HP Ink tank 316 A			
		HP LJ 136NW			
		HP LJ 138 FNW			
		HP MFP M 329			
		HP Color Laser Jet 183FW			
		HP LJM 429 FDW			
		Canon Image 6030B			
	LCD Projector 3000 Lumens XGA Projector	Display System	3LCD System		
		Brightness	Min. 3000 Lumens		
		Resolution	Min. XGA (1024x768 pixels)		
		Contrast Ratio	Min. 20,000:1		
		Optical Zoom	1.2x		
		Throw Ratio	1.47:1 to 1.77:1		
		Light Source	Lamp		
		Lamp Replacement Time	4000 Hour on Full Brightness		
		Input	Min. 02 nos. Mini D-sub 15-pin		

Sl. No.	Item	Specification	GST	Quoted Price	Authorized (Yes/No)
		Min. 02 nos. HDMI			
		Min. 01 no. Video In			
		Min. 01 no. S-video			
	Output	Min. 01 no. Mini D-sub 15-pin			
	Control Interface	RS-232C and RJ45			
	Power Supply	AC 100 to 240 V, 50/60 Hz			
	Warranty	Three Years			
	Service Centre	OEM should have its own fully functional Service Centre in Delhi/NCR. Authorized/3 rd Party Service Centre is not allowed			
	Service / Post-warranty Support	OEM should have dedicated Toll Free Customer Care no. for any service/post warranty related issues			
	OEM Presence	OEM should be present in India for 10 years or more			
	3500 Lumens XGA Projector	Display System	3LCD System		
		Brightness	Min. 3500 Lumens		
		Resolution	Min. XGA (1024x768 pixels)		
		Contrast Ratio	Min. 20,000:1		
		Optical Zoom	1.3x		
		Throw Ratio	1.37:1 to 1.80:1		
		Light Source	Lamp		
		Lamp Replacement Time	4000 Hour on Full Brightness		
		Input	Min. 02 nos. Mini D-sub 15-pin In		
			Min. 02 nos. HDMI		
			Min. 01 no. Video In		
			Min. 01 no. S-video		
			2 nos. USB (Type A and Type B)		
			1 no. Microphone		
		Output	Min. 01 no. Mini D-sub 15-pin		
		Control	RS-232C and RJ45		
		Power Supply	AC 100 to 240 V, 50/60 Hz		
		Warranty	Three Years		
		Service Centre	OEM should have its own fully functional Service Centre in Delhi/NCR. Authorized/3 rd Party Service Centre is not allowed		
		Service / Post-warranty Support	OEM should have dedicated Toll Free Customer Care no. for any service/post warranty related issues		
		OEM Presence	OEM should be present in India for 10 years or more		
	3500 Lumens WXGA	Display System	3LCD System		
		Brightness	Min. 3500 Lumens		

Sl. No.	Item	Specification	GST	Quoted Price	Authorized (Yes/No)		
	Projector	Resolution	Min. WXGA (1280x800 pixels)				
		Contrast Ratio	Min. 20,000:1				
		Optical Zoom	1.3x				
		Throw Ratio	1.37:1 to 1.80:1				
		Light Source	Lamp				
		Lamp Replacement Time	4000 Hour on Full Brightness				
		Speaker	16W or better				
		Input	Min. 02 nos. Mini D-sub 15-pin In				
			Mini 02 nos. HDMI				
			Mini 01 no. Video In				
			Mini 01 no. S-video				
			Mini 02 nos. USB (Type A and Type B)				
			Mini 01 no. Microphone				
		Output	Min. 01 no. Mini D-sub 15-pin				
		Control	LAN and RS-232C				
		Power Supply	AC 100 to 240 V, 50/60 Hz				
Warranty	Three Years						
Service Centre	OEM should have its own fully functional Service Centre in Delhi/NCR. Authorized/3 rd Party Service Centre is not allowed						
Service / Post-warranty Support	OEM should have dedicated Toll Free Customer Care no. for any service/post warranty related issues						
OEM Presence	OEM should be present in India for 10 years or more						
	4000 Lumens WXGA Projector	Display System	3LCD System				
		Brightness	Min. 4000 Lumens				
		Resolution	Min. WXGA (1280x800 pixels)				
		Contrast Ratio	Min. 20,000:1				
		Optical Zoom	1.6x				
		Throw Ratio	1.10:1 to 1.79:1				
		Light Source	Lamp				
		Lamp Replacement Time	4000 Hour on Full Brightness				
		Speaker	16W or better				
		Input	Min. 2 nos. Mini D-sub 15-pin In				
			Mini 02 nos. HDMI				
			Mini 01 no. Video In				
			Mini 01 no. S-video				
			Mini 02 nos. USB (Type A and Type B)				
			Mini 01 no. Microphone				
		Output	Min. 01 no. Mini D-sub 15-pin				

Sl. No.	Item	Specification	GST	Quoted Price	Authorized (Yes/No)
		Control	LAN and RS-232C		
		Power Supply	AC 100 to 240 V, 50/60 Hz		
		Warranty	Three Years		
		Service Centre	OEM should have its own fully functional Service Centre in Delhi/NCR. Authorized/3 rd Party Service Centre is not allowed		
		Service / Post-warranty Support	OEM should have dedicated Toll Free Customer Care no. for any service/post warranty related issues		
		OEM Presence	OEM should be present in India for 10 years or more		
	Accessories for LCD Projector	90 Inch Diagonal Projection Screen	Manual Pull Down and Imported fabric		
		106 Inch Diagonal Projection Screen	Manual Pull Down and Imported fabric		
		Ceiling Mounting Kit	Round- shaped Powder coated steel made		
		Molded VGA cable	10 Mtr		
		Molded VGA cable	15 Mtr		
		Molded HDMI cable	10 Mtr		
		Molded HDMI cable	15 mtr		
		Power Cable	10 Mtr		
		Power Cable	15 Mtr		
		PVC conduit	10 Mtr		
		PVC conduit	15 Mtr		
		Installation of Projector	S.I.T.C	Installation of Projector with a mounting kit along with Power Cable and HDMI / VGA cable as per requirement	

Signature :

Name :

Company Seal :

