	LAB FURNITU	JRE				
	SCIENCE BUILDING - DEP	ARTMEN	T LAB	 S		
SI. No.	Description	QTY	Unit	Rate	Amount	Remarks
	BIOCHEMISTR	Y LAB				
1	Wall Bench (Size: L 8300 mm x W 750 mm x H 900 mm)	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.  - (5 Nos.) 750 mm wide storage module with one drawer two					
	shutters  - (2 Nos.) 500 mm wide storage module with one drawer one shutter  - Single piece molded PP sink (L 600 x W 450 x D 315)  - Worktop mounted three way water tap with swan neck spout					
2	ISLAND Bench (Size: L 5470 mm x W 1500 mm x H 900 mm)	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.  - (8 Nos.) 750 mm wide storage module with one drawer two shutters  - (2 Nos.) 750 mm wide storage module with two shutters  - Peg Board in Phenolic resin construction with 20 Nos. PP Pegs  - (6 Nos.) Leg space with Foot Rest					
	BIOTECHNOLOG	SY LAB				
4	Wall Bench (Size: L 8100 mm x W 750 mm x H 900 mm)  Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.  - (5 Nos.) 750 mm wide storage module with one drawer two shutters  - (2 Nos.) 500 mm wide storage module with one drawer one shutter  - Single piece molded PP sink (L 600 x W 450 x D 315)  - Worktop mounted three way water tap with swan neck spout  - (6 Nos.) Lea space with Foot Rest  Wall Bench (Size: L 6000 mm x W 750 mm x H 900 mm)  Froviding and fixing of Work top in 10 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.  - (4 Nos.) 750 mm wide storage module with one drawer two shutters  - (2 Nos.) 500 mm wide storage module with one drawer one	1.00	nos.		-	
5	Shutter  (4 Non ) Log appear with Foot Poot  ISLAND Bench (Size: L 5470 mm x W 1500 mm x H 900 mm)	1.00	nos.		_	
-						

Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.

- (8 Nos.) 750 mm wide storage module with one drawer two shutters

- (2 Nos.) 750 mm wide storage module with two shutters

- Peg Board in Phenolic resin construction with 20 Nos. PP Pegs

- (6 Nos.) Leg space with Foot Rest

ELEMENTOLOGY & To	OXICOLO	ΞΥ			
	1.00	nos.		-	
construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.  - (5 Nos.) 750 mm wide storage module with one drawer two shutters  - (2 Nos.) 500 mm wide storage module with one drawer one shutter  - Single piece molded PP sink (L 600 x W 450 x D 315)  - Worktop mounted three way water tap with swan neck spout					
ISLAND Bench (Size: L 3550 mm x W 1500 mm x H 900 mm)	2.00	nos.		-	
Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.  - (4 Nos.) 750 mm wide storage module with one drawer two shutters  - (2 Nos.) 750 mm wide storage module with two shutters  - Peg Board in Phenolic resin construction with 20 Nos. PP Pegs  - (4 Nos.) Leg space with Foot Rest					
Prof. Table (Size: L 2400 mm x W 750 mm x H 750 mm)	1.00	nos.		-	
Providing and fixing of table, made up of 25 mm thick Prelaminated Twin Board of E1-P2 grade edge banded with matching 2mm thick PVC lipping. Grommet provided on work surface for wire manaement. The modesty panel is made of 25 mm thick Prelaminated Twin Board of E1-P2 grade. The understructure is made of 25 mm thick Pre-laminated twin board of E1-P2 grade and approved shade edge banded with matching 2 mm thick PVC lipping. The HInge door unit is made of 25 mm thick Pre-laminated twin board of E1-P2 grade and approved shade edge banded with matching 2 mm thick PVC lipping. Handles are provided for ease of opening. Pedestals are provided with lock for security.					
BOTANY LA	ιB				
	1.00	nos.		-	
Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.  - (5 Nos.) 750 mm wide storage module with one drawer two shutters  - (2 Nos.) 500 mm wide storage module with one drawer one shutter  - Single piece molded PP sink (L 600 x W 450 x D 315)  - Worktop mounted three way water tap with swan neck spout					
	1.00	nos.		-	
	Wall Bench (Size: L 8580 mm x W 750 mm x H 900 mm) Providing and Tixing of Work top Int 16 ± 1 mint mick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.  - (5 Nos.) 750 mm wide storage module with one drawer two shutters  - (2 Nos.) 500 mm wide storage module with one drawer one shutter  - (3 Nos.) 500 mm wide storage module with one drawer one shutter  - Single piece molded PP sink (L 600 x W 450 x D 315)  - Worktop mounted three way water tap with swan neck spout (S Nos.) 100 mm x H 900 mm)  Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.  - (4 Nos.) 750 mm wide storage module with one drawer two shutters  - (2 Nos.) 750 mm wide storage module with two shutters  - Peg Board in Phenolic resin construction with 20 Nos. PP Pegs  - (4 Nos.) Leg space with Foot Rest  Prof. Table (Size: L 2400 mm x W 750 mm x H 750 mm)  Providing and fixing of table, made up of 25 mm thick Prelaminated Twin Board of E1-P2 grade edge banded with matching 2 mm thick PVC lipping. Grommet provided on work surface for wire manaement. The modesty panel is made of 25 mm thick Pre-laminated Twin Board of E1-P2 grade and approved shade edge banded with matching 2 mm thick PVC lipping. The Hlnge door unit is made of 25 mm thick Pre-laminated Twin board of E1-P2 grade and approved shade edge banded with matching 2 mm thick PVC lipping. Handles are provided for ease of opening. Pedestals are provided with lock for security.  Wall Bench (Size: L 7900 mm x W 750 mm x H 900 mm)  Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/1	Wall Bench (Size: L 8580 mm x W 750 mm x H 900 mm)  Providing and mixing or work top in 16 ± 1 min tinck brack Grantice construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in Gl. Construction.  (5 Nos.) 750 mm wide storage module with one drawer two shutters  - (2 Nos.) 500 mm wide storage module with one drawer one shutter  - Single piece molded PP sink (L 600 x W 450 x D 315)  - Worktop mounted three way water tap with swan neck spout  (6 Nos.) 100 mm wide storage module with one drawer one shutter  - Single piece molded PP sink (L 600 x W 450 x D 315)  - Worktop mounted three way water tap with swan neck spout  (6 Nos.) 100 mm wide storage mix w W 1500 mm x H 900 mm)  2.00  Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.  - (4 Nos.) 750 mm wide storage module with one drawer two shutters  - (2 Nos.) 750 mm wide storage module with two shutters  - (2 Nos.) 750 mm wide storage module with washutters  - (2 Nos.) 2 mm thick Prelaminated Twin Board of E1-P2 grade edge banded with matching 2 mm thick Prelaminated Twin Board of E1-P2 grade edge banded with matching 2 mm thick Prelaminated Twin Board of E1-P2 grade and approved shade edge banded with matching 2 mm thick Prelaminated twin board of E1-P2 grade and approved shade edge banded with matching 2 mm thick Prelaminated twin board of E1-P2 grade and approved shade edge banded with matching 2 mm thick Prelaminated twin board of E1-P2 grade and approved shade edge banded with matching 2 mm thick Prelaminated twin board of E1-P2 grade and approved shade edge banded with matching 2 mm thick Prelaminated twin board of E1-P2 grade and approved shade edge banded with matching 2 mm t	rovouing and inxing or work top in 16 ± 1 min thick black Grainte construction, Single sided double fier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.  - (5 Nos.) 750 mm wide storage module with one drawer two shutters - (2 Nos.) 500 mm wide storage module with one drawer one shutter - Single piece molded PP sink (L 600 x W 450 x D 315) - Worktop mounted three way water tap with swan neck spout - (6 Nos.) 100 mm x W 1500 mm x W 1500 mm x H 900 mm)  Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction (4 Nos.) 750 mm wide storage module with one drawer two shutters - Peg Board in Phenolic resin construction with 20 Nos. PP Pegs - (4 Nos.) Teg space with Foot Rest  Prof. Table (Size: L 2400 mm x W 750 mm x H 750 mm)  1.00 nos.  Providing and fixing of table, made up of 25 mm thick Prelaminated Twin Board of E1-P2 grade edge banded with matching 2mm thick PVC lipping. Grommet provided on work surface for wire manaement. The modesty panel is made of 25 mm thick Prelaminated twin board of E1-P2 grade and approved shade edge banded with matching 2 mm thick PVC lipping. The Hinge door unit is made of 25 mm thick Pre-laminated twin board of E1-P2 grade and approved shade edge banded with matching 2 mm thick PVC lipping. The Hinge door unit is made of 25 mm thick Pre-laminated twin board of E1-P2 grade and approved shade edge banded with matching 2 mm thick PVC lipping. The Hinge door unit is made of 25 mm thick Pre-laminated twin board of E1-P2 grade and approved shade edge banded with matching 2 mm thick PVC lipping. The Hinge door unit is made of 25 mm thick Pre-laminated twin board of E1-P2 grade and approved shade edge banded with matching 2 mm	Wall Bench (Size: L 8580 mm x W 750 mm x H 900 mm)	Wall Bench (Size: L 8580 mm x W 750 mm x H 900 mm)  1.00 nos.  1.0

Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.

- (8 Nos.) 750 mm wide storage module with one drawer two shutters

- (2 Nos.) 750 mm wide storage module with two shutters

- Peg Board in Phenolic resin construction with 20 Nos. PP Pegs

- (6 Nos.) Leg space with Foot Rest

### Wall Bench (Size: L 11200 mm x W 750 mm x H 900 mm)  Froviding and name or work top in 10 x 1 min minch brack Gramite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.  - (6 Nos.) 750 mm wide storage module with one drawer one shutter  - Single piece molded PP sink (L 600 x W 450 x D 315)  - Worktop mounted three way water tap with swan neck spout  ### Wall Bench (Size: L 8500 mm x W 750 mm x H 900 mm)  ### Providing and mang or work top in 10 x 1 min tinck black Granite  construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.  - (5 Nos.) 750 mm wide storage module with one drawer two shutters  - (2 Nos.) 500 mm wide storage module with one drawer one shutter  - Single piece molded PP sink (L 600 x W 450 x D 315)  - Worktop mounted three way water tap with swan neck spout  #### 13 ISLAND Bench (Size: L 9000 mm x W 1500 mm x H 900 mm)  1 1.00 nos.  - Providing and fixing of Work top in 18 ± 1 mm thick Black Granite  Providing and fixing of Work top in 18 ± 1 mm thick Black Granite
construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.  - (6 Nos.) 750 mm wide storage module with one drawer two shutters  - (3 Nos.) 500 mm wide storage module with one drawer one shutter  - Single piece molded PP sink (L 600 x W 450 x D 315)  - Worktop mounted three way water tap with swan neck spout  12 Wall Bench (Size: L 8500 mm x W 750 mm x H 900 mm)  Providing and tixing or work top in 10 ± 1 mm triuck black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.  - (5 Nos.) 750 mm wide storage module with one drawer two shutters  - (2 Nos.) 500 mm wide storage module with one drawer one shutter  - Single piece molded PP sink (L 600 x W 450 x D 315)  - Worktop mounted three way water tap with swan neck spout  13 ISLAND Bench (Size: L 9000 mm x W 1500 mm x H 900 mm)  Providing and fixing of Work top in 18 ± 1 mm thick Black Granite
rioviding and fixing of Work top in 18 ± 1 min thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.  - (5 Nos.) 750 mm wide storage module with one drawer two shutters  - (2 Nos.) 500 mm wide storage module with one drawer one shutter  - Single piece molded PP sink (L 600 x W 450 x D 315)  - Worktop mounted three way water tap with swan neck spout  (6 Nos.) Log space with Foot Boot  13 ISLAND Bench (Size: L 9000 mm x W 1500 mm x H 900 mm)  1 nos.
construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.  - (5 Nos.) 750 mm wide storage module with one drawer two shutters  - (2 Nos.) 500 mm wide storage module with one drawer one shutter  - Single piece molded PP sink (L 600 x W 450 x D 315)  - Worktop mounted three way water tap with swan neck spout  (6 Nos.) Los coopes with Foot Poot  13 ISLAND Bench (Size: L 9000 mm x W 1500 mm x H 900 mm)  1.00 nos.
13 ISLAND Bench (Size: L 9000 mm x W 1500 mm x H 900 mm) 1.00 nos  Providing and fixing of Work top in 18 ± 1 mm thick Black Granite
construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.  - (10 Nos.) 750 mm wide storage module with one drawer two shutters  - (4 Nos.) 750 mm wide storage module with two shutters  - Peg Board in Phenolic resin construction with 20 Nos. PP Pegs  - (8 Nos.) Leg space with Foot Rest
14 Prof. Table (Size: L 2400 mm x W 750 mm x H 750 mm) 1.00 nos
Providing and fixing of table, made up of 25 mm thick Prelaminated Twin Board of E1-P2 grade edge banded with matching 2mm thick PVC lipping. Grommet provided on work surface for wire manaement. The modesty panel is made of 25 mm thick Prelaminated Twin Board of E1-P2 grade. The understructure is made of 25 mm thick Pre-laminated twin board of E1-P2 grade and approved shade edge banded with matching 2 mm thick PVC lipping. The HInge door unit is made of 25 mm thick Pre-laminated twin board of E1-P2 grade and approved shade edge banded with matching 2 mm thick PVC lipping. Handles are provided for ease of opening. Pedestals are provided with lock for security.
TOTAL (WITHOUT GST)
GST 18% EXTRA
GRAND TOTAL (INCLUSIVE OF GST)