

LAB FURNITURE & FUME HOODS						
SCHOOL OF PHARMACEUTICAL EDUCATION AND RESEARCH BUILDING						
Sl. No.	Description	QTY	Unit	Rate	Amount	Remarks
THIRD FLOOR						
	P CHEMISTRY RESEARCH LAB - 2					
1	Low Constant Volume (LCV) type Bench Fume Hood (Size: L 1500 x D 915 x H 2300 mm) (For AC Lab)	1.00	nos.		-	
	Providing and fixing of Fume Hood Superstructure Fume Hood Worktop Service Valves with Electrical Fittings Controls, Fume Hood Understructure, Fume Hood Under-Cabinet (Chemical Storage Purpose) and its Accessories.					
2	Exhaust Fan (315 mm Dia) - one fan for 1 Nos. 1500 mm wide Fume Hood	1.00	nos.		-	
	Single piece molded UV treated chemical resistant SISW direct driven centrifugal fan in PP construction with suitable stand in MS powder coated construction, CFM 500 to 600 Corrosive resistant PP Impeller with extra strength,high efficiency, properties which produces lower noise and power consumption. Drive - 1 HP, 1400 RPM, 415V, 50Hz., TEFC Class B insulation induction motor with IP55 enclosure, in Non- FLP const. 16A, 3Ph MCB for Fan - Refer Specs Sheet DOL Starter for Motor.					
3	Wall Bench (WB - 1) Size: L 8675 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction. a) 5 Nos.- 750 mm wide storage module with one drawer two shutters b) 2 Nos.- 500 mm wide storage module with one drawer one shutter c) 6 Nos.- Leg space with Foot Rest					
4	ISLAND Bench (IB - 1) Size: L 6500 mm x W 1800 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction. a) 8 Nos.- 750 mm wide storage module with one drawer two shutters b) 4 Nos.- 750 mm wide storage module with two shutters c) 4 Nos.- Single piece molded PP sink (L 600 x W 450 x D 315) d) Worktop mounted three way water tap with swan neck spout e) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs f) 6 Nos.- Leg space with Foot Rest					

STORE ROOM					
5	Slotted angle rack Size: L 900 x D 450 x H 1830mm	14.00	nos.		-
	Providing and fixing of rack fabricated out of 50 x 50 x 2 mm thk Slotted angle in GI construction dully epoxy powder coated with 5 Nos. Shelves (1.2mm Thk) with SS hardware.				
PHARMACOLOGY HAP CUM BIOCHEMISTRY LAB					
6	Wall Bench (WB - 2 & 5) Size: L 7716 mm x W 900 mm x H 900 mm	2.00	nos.		-
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close Panel in G.I. Construction and Filler Panel in G.I. Construction. a) 5 Nos.- 750 mm wide storage module with one drawer two shutters b) 1 Nos.- 500 mm wide storage module with one drawer one shutter c) 5 Nos.- Leg space with Foot Rest				
7	ISLAND Bench (IB - 2, 3 & 4) Size: L 5750 mm x W 1800 mm x H 900 mm	3.00	nos.		-
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction. a) 8 Nos.- 750 mm wide storage module with one drawer two shutters b) 2 Nos.- 750 mm wide storage module with two shutters c) 2 Nos.- Single piece molded PP sink (L 600 x W 450 x D 315) d) Worktop mounted three way water tap with swan neck spout e) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs f) 6 Nos.- Leg space with Foot Rest				
PHARMACOLOGY D PHARMA LAB					
8	Wall Bench (WB - 4 & 5) Size: L 7716 mm x W 900 mm x H 900 mm	2.00	nos.		-
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction. a) 5 Nos. 750 mm wide storage module with one drawer two shutters b) 1 Nos.- 500 mm wide storage module with one drawer one shutter c) 5 Nos.- Leg space with Foot Rest				

9	ISLAND Bench (IB - 5) Size: L 5750 mm x W 1800 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 8 Nos.-750 mm wide storage module with one drawer two shutters b) 2 Nos.-750 mm wide storage module with two shutters c) 2 Nos.-Single piece molded PP sink (L 600 x W 450 x D 315) d) Worktop mounted three way water tap with swan neck spout e) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs f) 6 Nos.-Leg space with Foot Rest</p>					
	P CHEMISTRY RESEARCH LAB - 1					
10	Wall Bench (WB - 6 & 8) Size: L 3175 mm x W 750 mm x H 900 mm	2.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch and Filler Panel in G.I. Construction.</p> <p>a) 1 Nos.-750 mm wide storage module with one drawer two shutters b) 1 Nos.-750 mm wide storage module with two shutters c) 2 Nos.-500 mm wide storage module with one drawer one shutter d) Single piece molded PP sink (L 600 x W 450 x D 315) e) Worktop mounted three way water tap with swan neck spout f) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs g) 1 Nos.-Leg space with Foot Rest</p>					
11	Corner Bench (CB - 1 & 2) Size: L 1030 mm x W 1030 mm x H 900 mm	2.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway, Filler Panel in G.I. Construction.</p> <p>a) 1 Nos.-Corner storage module with one shutter b) 1 Nos.-Single piece molded PP sink (L 600 x W 450 x D 315) c) 1 Nos.-Worktop mounted three way water tap with swan neck spout d) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs</p>					
12	Wall Bench (WB - 7) Size: L 958 mm x W 750 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction and Close Panel in G.I. Construction. Filler Panel in G.I. Construction.</p> <p>a) 1 Nos.-750 mm wide storage module with one drawer two shutters</p>					
13	Low Constant Volume (LCV) type Bench Fume Hood (Size: L 1500 x D 915 x H 2300 mm) (For AC Lab)	1.00	nos.		-	
	<p>Providing and fixing of Fume Hood Superstructure, Fume Hood Worktop, Service Valves with Electrical Fittings, Controls, Fume Hood Understructure, Fume Hood Under-Cabinet (Chemical Storage Purpose) and its Accessories.</p>					

14	Exhaust Fan (315 mm Dia) - one fan for 1 Nos. 1500 mm wide Fume Hood	1.00	nos.		-	
	Single piece molded UV treated chemical resistant SISW direct driven centrifugal fan in PP construction with suitable stand in MS powder coated construction, CFM 500 to 600 Corrosive resistant PP Impeller with extra strength,high efficiency, properties which produces lower noise and power consumption. Drive - 1 HP, 1400 RPM, 415V, 50Hz., TEFC Class B insulation induction motor with IP55 enclosure, in Non- FLP const. 16A, 3Ph MCB for Fan - Refer Specs Sheet DOL Starter for Motor.					
15	Wall Bench (WB - 9) Size: L 2314 mm x W 750 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, Vertical support for leg space, Close Panel in G.I. Construction & Filler Panel in G.I. Construction. a) 2 Nos. -500 mm wide storage module with one drawer one shutter b) 2 Nos. -Leg space with Foot Rest					
P CHEMISTRY RESEARCH LAB - 3						
16	Wall Bench (WB - 10) Size: L 5750 mm x W 750 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch and Filler Panel in G.I. Construction. a) 3 Nos. -750 mm wide storage module with one drawer two shutters b) 2 Nos. -750 mm wide storage module with two shutters c) 2 Nos. -Single piece molded PP sink (L 600 x W 450 x D 315) d) Worktop mounted three way water tap with swan neck spout e) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs f) 3 Nos. -Leg space with Foot Rest					
17	Wall Bench (WB - 11) Size: L 3575 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch and Filler Panel in G.I. Construction. a) 2 Nos. -750 mm wide storage module with one drawer two shutters b) 1 Nos. -750 mm wide storage module with two shutters c) 1 Nos. -Single piece molded PP sink (L 600 x W 450 x D 315) d) Worktop mounted three way water tap with swan neck spout e) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs f) 2 Nos. -Leg space with Foot Rest					

18	Low Constant Volume (LCV) type Bench Fume Hood (Size: L 1500 x D 915 x H 2300 mm) (For AC Lab)	1.00	nos.		-	
	Providing and fixing of Fume Hood Superstructure, Fume Hood Worktop, Service Valves with Electrical Fittings, Controls, Fume Hood Understructure, Fume Hood Under-Cabinet (Chemical Storage Purpose) and its Accessories.					
19	Exhaust Fan (315 mm Dia) - one fan for 1 Nos. 1500 mm wide Fume Hood	1.00	nos.		-	
	Single piece molded UV treated chemical resistant SISW direct driven centrifugal fan in PP construction with suitable stand in MS powder coated construction, CFM 500 to 600 Corrosive resistant PP Impeller with extra strength, high efficiency, properties which produces lower noise and power consumption. Drive - 1 HP, 1400 RPM, 415V, 50Hz., TEFC Class B insulation induction motor with IP55 enclosure, in Non- FLP const. 16A, 3Ph MCB for Fan - Refer Specs Sheet DOL Starter for Motor.					
20	Wall Bench (WB - 12) Size: L 775 mm x W 750 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction and Filler Panel in G.I. Construction. a) 1 Nos. -750 mm wide storage module with two shutters b) 1 Nos. -Single piece molded PP sink (L 600 x W 450 x D 315) c) 1 Nos. -Worktop mounted three way water tap with swan neck spout d) 1 Nos. -Peg Board in Phenolic resin construction with 20 Nos. PP Pegs					
INSTRUMENTAL LAB						
21	Wall Bench (WB - 13) Size: L 9411 mm x W 900 mm x H 750 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, Data Sockets, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction. a) 11 Nos. -500 mm wide storage module with one drawer one shutter b) 1 Nos. -750 mm wide storage module with two shutters c) 1 Nos. -Single piece molded PP sink (L 600 x W 450 x D 315) d) 1 Nos. -Worktop mounted three way water tap with swan neck spout e) 1 Nos. -Peg Board in Phenolic resin construction with 20 Nos. PP Pegs f) 5 Nos. -Leg space with KBT, CPU Trolley and Cable Manager					
22	ISLAND Bench (IB - 6) Size: L 6425 mm x W 1800 mm x H 750 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, Data Sockets, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction. a) 16 Nos. -500 mm wide storage module with one drawer one shutter b) 8 Nos. -Leg space with KBT, CPU Trolley and Cable Manager					

23	Wall Bench (WB - 14) Size: L 8305 mm x W 900 mm x H 750 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, Data Sockets , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 9 Nos.-500 mm wide storage module with one drawer one shutter b) 1 Nos.-750 mm wide storage module with two shutters c) 1 nos.-Single piece molded PP sink (L 600 x W 450 x D 315) d) Worktop mounted three way water tap with swan neck spout e) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs f) 5 Nos.-Leg space with KBT, CPU Trolley and Cable Manager</p>					
M. CHEMISTRY RESEARCH LAB - 4						
24	ISLAND Bench (IB - 7) Size: L 5725 mm x W 1800 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 6 Nos.-750 mm wide storage module with one drawer two shutters b) 4 Nos.-750 mm wide storage module with two shutters c) 4 Nos.-Single piece molded PP sink (L 600 x W 450 x D 315) d) Worktop mounted three way water tap with swan neck spout e) 4 Nos.-Peg Board in Phenolic resin construction with 20 Nos. PP Pegs f) 6 Nos.-Leg space with Foot Rest</p>					
25	Low Constant Volume (LCV) type Bench Fume Hood (Size: L 1500 x D 915 x H 2300 mm) (For AC Lab)	1.00	nos.		-	
	Providing and fixing of Fume Hood Superstructure, Fume Hood Worktop, Service Valves with Electrical Fittings, Controls, Fume Hood Understructure, Fume Hood Under-Cabinet (Chemical Storage Purpose) and its Accessories.					
26	Exhaust Fan (315 mm Dia) - one fan for 1 Nos. 1500 mm wide Fume Hood	1.00	nos.		-	
	<p>Single piece molded UV treated chemical resistant SISW direct driven centrifugal fan in PP constuction with suitable stand in MS powder coated construction, CFM 500 to 600 Corrosive resistant PP Impeller with extra strength,high efficiency, properties which produces lower noise and power consumption. Drive - 1 HP, 1400 RPM, 415V, 50Hz., TEFC Class B insulation induction motor with IP55 enclosure, in Non- FLP const. 16A, 3Ph MCB for Fan - Refer Specs Sheet DOL Starter for Motor.</p>					

	PHD PHARMACOLOGY LAB					
27	Wall Bench (WB - 15) Size: L 8096 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 5 Nos.-750 mm wide storage module with one drawer two shutters b) 3 Nos.-500 mm wide storage module with one drawer one shutter c) 4 Nos.-Leg space with Foot Rest</p>					
28	Corner Bench (CB - 3) Size: L 1180 mm x W 1180 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>- Corner storage module with one shutter</p>					
29	Wall Bench (WB - 16) Size: L 9513 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.</p> <p>a) 9 Nos.-750 mm wide storage module with one drawer two shutters b) 4 Nos.-Leg space with Foot Rest</p>					
30	ISLAND Bench (IB - 8 & 9) Size: L 5725 mm x W 1800 mm x H 900 mm	2.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 6 Nos.-750 mm wide storage module with one drawer two shutters b) 4 Nos.-750 mm wide storage module with two shutters c) 4 Nos.-Single piece molded PP sink (L 600 x W 450 x D 315) d) Worktop mounted three way water tap with swan neck spout e) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs f) 6 Nos.-Leg space with Foot Rest</p>					

SECOND FLOOR						
	MEDICINAL CHEMISTRY LAB					
31	Wall Bench (WB - 1) Size: L 7726 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.</p> <p>a) 4 Nos.-750 mm wide storage module with one drawer two shutters b) 2 Nos.-750 mm wide storage module with two shutters c) 1 Nos.-500 mm wide storage module with one drawer one shutter d) 2 Nos.-Single piece molded PP sink (L 600 x W 450 x D 315) e) Worktop mounted three way water tap with swan neck spout f) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs g) 4 Nos.-Leg space with Foot Rest</p>					
32	ISLAND Bench (IB - 1 & 1A) Size: L 5850 mm x W 1500 mm x H 900 mm	2.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 8 Nos.-750 mm wide storage module with one drawer two shutters b) 4 Nos.-750 mm wide storage module with two shutters c) 4 Nos.-Single piece molded PP sink (L 600 x W 450 x D 315) d) Worktop mounted three way water tap with swan neck spout e) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs f) 4 Nos.-Leg space with Foot Rest</p>					
33	Wall Bench (WB - 2) Size: L 4075 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>2 Nos.-750 mm wide storage module with one drawer two shutters 1 Nos.-750 mm wide storage module with two shutters 1 Nos.-500 mm wide storage module with one drawer one shutter 1 Nos.-Single piece molded PP sink (L 600 x W 450 x D 315) -Worktop mounted three way water tap with swan neck spout - Peg Board in Phenolic resin construction with 20 Nos. PP Pegs 2 Nos.-Leg space with Foot Rest</p>					
34	Low Constant Volume (LCV) type Bench Fume Hood (Size: L 1500 x D 915 x H 2300 mm) (For AC Lab)	1.00	nos.		-	
	Providing and fixing of Fume Hood Superstructure, Fume Hood Worktop, Service Valves with Electrical Fittings, Controls, Fume Hood Understructure, Fume Hood Under-Cabinet (Chemical Storage Purpose) and its Accessories.					

35	Exhaust Fan (315 mm Dia) - one fan for 1 Nos. 1500 mm wide Fume Hood	1.00	nos.		-	
	Single piece molded UV treated chemical resistant SISW direct driven centrifugal fan in PP construction with suitable stand in MS powder coated construction, CFM 500 to 600 Corrosive resistant PP Impeller with extra strength,high efficiency, properties which produces lower noise and power consumption. Drive - 1 HP, 1400 RPM, 415V, 50Hz., TEFC Class B insulation induction motor with IP55 enclosure, in Non- FLP const. 16A, 3Ph MCB for Fan - Refer Specs Sheet DOL Starter for Motor.					
	ORGANIC CHEMISTRY LAB					
36	Wall Bench (WB - 3) Size: L 4075 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction. a) 2 Nos. -750 mm wide storage module with one drawer two shutters b) 1 Nos. -750 mm wide storage module with two shutters c) 1 Nos. -500 mm wide storage module with one drawer one shutter d) 1 Nos. -Single piece molded PP sink (L 600 x W 450 x D 315) e) Worktop mounted three way water tap with swan neck spout f) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs g) 2 Nos. -Leg space with Foot Rest					
37	Low Constant Volume (LCV) type Bench Fume Hood (Size: L 1500 x D 915 x H 2300 mm) (For AC Lab)	1.00	nos.		-	
	Providing and fixing of Fume Hood Superstructure, Fume Hood Worktop, Service Valves with Electrical Fittings, Controls, Fume Hood Understructure, Fume Hood Under-Cabinet (Chemical Storage Purpose) and its Accessories.					
38	Exhaust Fan (315 mm Dia) - one fan for 1 Nos. 1500 mm wide Fume Hood	1.00	nos.		-	
	Single piece molded UV treated chemical resistant SISW direct driven centrifugal fan in PP construction with suitable stand in MS powder coated construction, CFM 500 to 600 Corrosive resistant PP Impeller with extra strength,high efficiency, properties which produces lower noise and power consumption. Drive - 1 HP, 1400 RPM, 415V, 50Hz., TEFC Class B insulation induction motor with IP55 enclosure, in Non- FLP const. 16A, 3Ph MCB for Fan - Refer Specs Sheet DOL Starter for Motor.					
39	ISLAND Bench (IB - 2 & 3) Size: L 5850 mm x W 1500 mm x H 900 mm	2.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction. a) 8 Nos. -750 mm wide storage module with one drawer two shutters b) 4 Nos. -750 mm wide storage module with two shutters c) 4 Nos. -Single piece molded PP sink (L 600 x W 450 x D 315) d) Worktop mounted three way water tap with swan neck spout e) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs f) 4 Nos. -Leg space with Foot Rest					

40	Wall Bench (WB - 4) Size: L 7726 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.</p> <p>a) 4 Nos.-750 mm wide storage module with one drawer two shutters b) 2 Nos.-750 mm wide storage module with two shutters c) 1 Nos.-500 mm wide storage module with one drawer one shutter d) 2 Nos.-Single piece molded PP sink (L 600 x W 450 x D 315) e) Worktop mounted three way water tap with swan neck spout f) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs g) 4 Nos.-Leg space with Foot Rest</p>					
INSTRUMENTATION CHEMISTRY LAB						
41	Wall Bench (WB - 5) Size: L 2175 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch and Filler Panel in G.I. Construction.</p> <p>a) 2 Nos.-750 mm wide storage module with one drawer two shutters b) 1 Nos.-Leg space with Foot Rest</p>					
42	Corner Bench (CB - 1) Size: L 1180 mm x W 1180 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 1 Nos.-Corner storage module with one shutter b) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs c) 1 Nos.-Single piece molded PP sink (L 600 x W 450 x D 315)</p>					
43	Wall Bench (WB - 6) Size: L 6558 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.</p> <p>a) 4 Nos.-750 mm wide storage module with one drawer two shutters b) 1 Nos.-750 mm wide storage module with two shutters c) 1 Nos.-Single piece molded PP sink (L 600 x W 450 x D 315) d) Worktop mounted three way water tap with swan neck spout e) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs f) 4 Nos.-Leg space with Foot Rest</p>					
44	ISLAND Bench (IB - 4 & 5) Size: L 4350 mm x W 1500 mm x H 900 mm	2.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 8 Nos.-750 mm wide storage module with one drawer two shutters b) 4 Nos.-Leg space with Foot Rest</p>					

45	Wall Bench (WB - 7) Size: L 4075 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 2 Nos.-750 mm wide storage module with one drawer two shutters b) 1 Nos.-750 mm wide storage module with two shutters c) 1 Nos.-500 mm wide storage module with one drawer one shutter d) 1 Nos.-Single piece molded PP sink (L 600 x W 450 x D 315) e) Worktop mounted three way water tap with swan neck spout f) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs g) 2 Nos.-Leg space with Foot Rest</p>					
46	Low Constant Volume (LCV) type Bench Fume Hood (Size: L 1500 x D 915 x H 2300 mm) (For AC Lab)	1.00	nos.		-	
	Providing and fixing of Fume Hood Superstructure, Fume Hood Worktop, Service Valves with Electrical Fittings, Controls, Fume Hood Understructure, Fume Hood Under-Cabinet (Chemical Storage Purpose) and its Accessories.					
47	Exhaust Fan (315 mm Dia) - one fan for 1 Nos. 1500 mm wide Fume Hood	1.00	nos.		-	
	<p>Single piece molded UV treated chemical resistant SISW direct driven centrifugal fan in PP construction with suitable stand in MS powder coated construction, CFM 500 to 600</p> <p>Corrosive resistant PP Impeller with extra strength,high efficiency, properties which produces lower noise and power consumption.</p> <p>Drive - 1 HP, 1400 RPM, 415V, 50Hz., TEFC Class B insulation induction motor with IP55 enclosure, in Non- FLP const.</p> <p>16A, 3Ph MCB for Fan - Refer Specs Sheet</p> <p>DOL Starter for Motor.</p>					
ANALYTICAL CHEMISTRY LAB						
48	Wall Bench (WB - 8) Size: L 4075 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 2 Nos.-750 mm wide storage module with one drawer two shutters b) 1 Nos.-750 mm wide storage module with two shutters c) 1 Nos.-500 mm wide storage module with one drawer one shutter d) 1 Nos.-Single piece molded PP sink (L 600 x W 450 x D 315) e) Worktop mounted three way water tap with swan neck spout f) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs g) 2 Nos.-Leg space with Foot Rest</p>					
49	Low Constant Volume (LCV) type Bench Fume Hood (Size: L 1500 x D 915 x H 2300 mm) (For AC Lab)	1.00	nos.		-	
	Providing and fixing of Fume Hood Superstructure, Fume Hood Worktop, Service Valves with Electrical Fittings, Controls, Fume Hood Understructure, Fume Hood Under-Cabinet (Chemical Storage Purpose) and its Accessories.					
50	Exhaust Fan (315 mm Dia) - one fan for 1 Nos. 1500 mm wide Fume Hood	1.00	nos.		-	
	<p>Single piece molded UV treated chemical resistant SISW direct driven centrifugal fan in PP construction with suitable stand in MS powder coated construction, CFM 500 to 600</p> <p>Corrosive resistant PP Impeller with extra strength,high efficiency, properties which produces lower noise and power consumption.</p> <p>Drive - 1 HP, 1400 RPM, 415V, 50Hz., TEFC Class B insulation induction motor with IP55 enclosure, in Non- FLP const.</p> <p>16A, 3Ph MCB for Fan - Refer Specs Sheet</p> <p>DOL Starter for Motor.</p>					

51	ISLAND Bench (IB - 6 & 7) Size: L 5850 mm x W 1500 mm x H 900 mm	2.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 8 Nos.-750 mm wide storage module with one drawer two shutters b) 4 Nos.-750 mm wide storage module with two shutters c) 4 Nos.-Single piece molded PP sink (L 600 x W 450 x D 315) d) Worktop mounted three way water tap with swan neck spout e) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs f) 4 Nos.-Leg space with Foot Rest</p>					
52	Wall Bench (WB - 9) Size: L 7726 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.</p> <p>a) 4 Nos.-750 mm wide storage module with one drawer two shutters b) 2 Nos.-750 mm wide storage module with two shutters c) 1 Nos.-500 mm wide storage module with one drawer one shutter d) 2 Nos.-Single piece molded PP sink (L 600 x W 450 x D 315) e) Worktop mounted three way water tap with swan neck spout f) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs g) 4 Nos.-Leg space with Foot Rest</p>					
UG CHEMISTRY LAB						
53	ISLAND Bench (IB - 8 & 9) Size: L 7250 mm x W 1500 mm x H 900 mm	2.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 10 Nos.-750 mm wide storage module with one drawer two shutters b) 4 Nos.-750 mm wide storage module with two shutters c) 2 Nos.-Single piece molded PP sink (L 600 x W 450 x D 315) d) Worktop mounted three way water tap with swan neck spout e) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs f) 6 Nos.-Leg space with Foot Rest</p>					
PG CHEMISTRY LAB						
54	Wall Bench (WB - 10 & 11) Size: L 6987 mm x W 900 mm x H 900 mm	2.00	nos.		-	

	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 8 Nos.-750 mm wide storage module with one drawer two shutters b) 4 Nos.-750 mm wide storage module with two shutters c) 2 Nos.-500 mm wide storage module with one drawer one shutter d) 4 Nos.-Single piece molded PP sink (L 600 x W 450 x D 315) e) Worktop mounted three way water tap with swan neck spout f) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs g) 6 Nos.- Leg space with Foot Rest</p>					
55	ISLAND Bench (IB - 10 & 11) Size: L 5825 mm x W 1500 mm x H 900 mm	2.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 16 Nos.-750 mm wide storage module with one drawer two shutters b) 8 Nos.-750 mm wide storage module with two shutters c) 8 Nos.-Single piece molded PP sink (L 600 x W 450 x D 315) d) Worktop mounted three way water tap with swan neck spout e) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs f) 8 Nos.-Leg space with Foot Rest</p>					
PREPARATION ROOM						
56	Wall Bench (WB - 12 & 14) Size: L 2922 mm x W 750 mm x H 900 mm	2.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction and Filler Panel in G.I. Construction.</p> <p>a) 4 Nos.-750 mm wide storage module with one drawer two shutters b) 2 Nos.-750 mm wide storage module with two shutters c) 2 Nos.-Single piece molded PP sink (L 600 x W 450 x D 315) d) Worktop mounted three way water tap with swan neck spout e) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs f) 2 Nos.-Leg space with Foot Rest</p>					
57	Wall Bench (WB - 13) Size: L 5051 mm x W 750 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, Vertical support for leg space and Close & Filler Panel in G.I. Construction.</p> <p>a) 1 Nos.-750 mm wide storage module with one drawer two shutters b) 3 Nos.-500 mm wide storage module with one drawer one shutter c) 3 Nos.-Leg space with Foot Rest</p>					

58	Wall Bench (WB - 15) Size: L 5008 mm x W 750 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch and Close & Filler Panel in G.I. Construction. a) 3 Nos. -750 mm wide storage module with one drawer two shutters b) 2 Nos. -500 mm wide storage module with one drawer one shutter c) 2 Nos. -Leg space with Foot Rest					
59	Wall Bench (WB - 16) Size: L 4228 mm x W 750 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction and Filler Panel in G.I. Construction. a) 2 Nos. -750 mm wide storage module with one drawer two shutters b) 1 Nos. -750 mm wide storage module with two shutters c) 1 Nos. -500 mm wide storage module with one drawer one shutter d) 1 Nos. -Single piece molded PP sink (L 600 x W 450 x D 315) e) Worktop mounted three way water tap with swan neck spout f) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs g) 1 Nos. -Leg space with Foot Rest					
60	Wall Bench (WB - 17) Size: L 4228 mm x W 750 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch and Close & Filler Panel in G.I. Construction. a) 3 Nos. -750 mm wide storage module with one drawer two shutters b) 3 Nos. -Leg space with Foot Rest					
FIRST FLOOR						
	UG PHARMACOGNOSY LAB					
61	Wall Bench (WB - 1) Size: L 6558 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch and Close & Filler Panel in G.I. Construction. a) 5 Nos. -750 mm wide storage module with one drawer two shutters b) 4 Nos. - Leg space with Foot Rest					
62	Corner Bench (CB - 1) Size: L 1180 mm x W 1180 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction. a) 1 Nos. -Corner storage module with one shutter b) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs c) 1 Nos. -Single piece molded PP sink (L 600 x W 450 x D 315)					

63	Wall Bench (WB - 2) Size: L 7883 mm x W 900 mm x H 900 mm	1.00	nos.		-
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, Vertical support for leg space and Close & Filler Panel in G.I. Construction.</p> <p>a) 6 Nos.-750 mm wide storage module with one drawer two shutters b) 1 Nos.- 750 mm wide storage module with two shutters c) 1 Nos.- Single piece molded PP sink (L 600 x W 450 x D 315) d) Worktop mounted three way water tap with swan neck spout e) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs f) 4 Nos.-Leg space with Foot Rest</p>				
64	Wall Bench (WB - 3) Size: L 1230 mm x W 600 mm x H 750 mm	1.00	nos.		-
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, Vertical support for leg space and Back & Filler Panel in G.I. Construction.</p> <p>a) 1 Nos.- 500 mm wide storage module with one drawer one shutter b) 1 Nos.-Leg space with Foot Rest</p>				
65	ISLAND Bench (IB - 1 & 2) Size: L 4280 mm x W 1500 mm x H 900 mm	2.00	nos.		-
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support, Vertical support for leg space and Filler Panel in G.I. Construction.</p> <p>a) 6 Nos.-750 mm wide storage module with one drawer two shutters b) 4 Nos.-Leg space with Foot Rest</p>				
STORE ROOM					
66	Slotted angle rack Size: L 1000 x D 450 x H 1830mm	12.00	nos.		-
	<p>Providing and fixing of rack fabricated out of 50 x 50 x 2 mm thk Slotted angle in GI construction dully epoxy powder coated with 5 Nos. Shelves (1.2mm Thk) with SS hardware.</p>				
UG PHARMACOGNOSY LAB					
67	Wall Bench (WB - 6) Size: L 6558 mm x W 900 mm x H 900 mm	1.00	nos.		-
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch and Close & Filler Panel in G.I. Construction.</p> <p>a) 5 Nos.- 750 mm wide storage module with one drawer two shutters b) 4 Nos.- Leg space with Foot Rest</p>				
68	Corner Bench (CB - 2) Size: L 1180 mm x W 1180 mm x H 900 mm	1.00	nos.		-
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 1 Nos.- Corner storage module with one shutter b) 1 Nos.-Peg Board in Phenolic resin construction with 20 Nos. PP Pegs c) 1 Nos.-Single piece molded PP sink (L 600 x W 450 x D 315)</p>				

69	Wall Bench (WB - 5) Size: L 7883 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.</p> <p>a) 6 Nos.-750 mm wide storage module with one drawer two shutters b) 1 Nos.-750 mm wide storage module with two shutters c) 1 Nos.-Single piece molded PP sink (L 600 x W 450 x D 315) d) Worktop mounted three way water tap with swan neck spout e) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs f) 4 Nos.- Leg space with Foot Rest</p>					
70	Wall Bench (WB - 4) Size: L 1230 mm x W 600 mm x H 750 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, Vertical support for leg space and Back & Filler Panel in G.I. Construction.</p> <p>a) 1 Nos.-500 mm wide storage module with one drawer one shutter b) 1 Nos.- Leg space with Foot Rest</p>					
71	ISLAND Bench (IB - 3 & 4) Size: L 4280 mm x W 1500 mm x H 900 mm	2.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support, Vertical support for leg space and Filler Panel in G.I. Construction.</p> <p>a) 6 Nos.-750 mm wide storage module with one drawer two shutters b) 4 Nos.- Leg space with Foot Rest</p>					
M PHARMA LAB						
72	Wall Bench (WB - 7) Size: L 3575 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 3 Nos.-750 mm wide storage module with one drawer two shutters b) 2 Nos.- Leg space with Foot Rest</p>					
73	Wall Bench (WB - 8) Size: L 5191 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support, Vertical support for leg space and Close & Filler Panel in G.I. Construction.</p> <p>a) 3 Nos.-750 mm wide storage module with one drawer two shutters b) 1 Nos.- 500 mm wide storage module with one drawer one shutter c) 3 Nos.- Leg space with Foot Rest</p>					

74	Corner Bench (CB - 3) Size: L 1180 mm x W 1180 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction. a) Corner storage module with one shutter					
75	Wall Bench (WB - 9) Size: L 5020 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction. a) 4 Nos.- 750 mm wide storage module with one drawer two shutters b) 3 Nos.- Leg space with Foot Rest					
76	Wall Bench (WB - 10) Size: L 1230 mm x W 600 mm x H 750 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, Vertical support for leg space and Back & Filler Panel in G.I. Construction. a) 1 Nos.- 500 mm wide storage module with one drawer one shutter b) 1 Nos.- Leg space with Foot Rest					
77	ISLAND Bench (IB - 5) Size: L 2700 mm x W 1500 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction. a) 2 Nos.- 750 mm wide storage module with one drawer two shutters b) 2 Nos.- 750 mm wide storage module with two shutters c) 2 Nos.- 500 mm wide storage module with one drawer one shutter d) 2 Nos.- Single piece molded PP sink (L 600 x W 450 x D 315) e) Worktop mounted three way water tap with swan neck spout f) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs g) 2 Nos.- Leg space with Foot Rest					
PG PHARMACOGNOSY LAB						
78	Wall Bench (WB - 12) Size: L 8255 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction. a) 6 Nos.- 750 mm wide storage module with one drawer two shutters b) 1 Nos.- 500 mm wide storage module with one drawer one shutter c) 5 Nos.- Leg space with Foot Rest					

79	Corner Bench (CB - 4 & 5) Size: L 1180 mm x W 1180 mm x H 900 mm	2.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction. a) 1 Nos.- Single piece molded PP sink (L 600 x W 450 x D 315) b) Worktop mounted three way water tap with swan neck spout c) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs d) 1 Nos.- Corner storage module with one shutter					
80	Wall Bench (WB - 13) Size: L 8323 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction. a) 6 Nos.- 750 mm wide storage module with one drawer two shutters b) 1 Nos.- 500 mm wide storage module with one drawer one shutter c) 5 Nos.- Leg space with Foot Rest					
81	Wall Bench (WB - 14) Size: L 8193 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction. a) 5 Nos.- 750 mm wide storage module with one drawer two shutters b) 1 Nos.- 500 mm wide storage module with one drawer one shutter c) 2 Nos.- 750 mm wide storage module with two shutters d) 1 Nos.- Single piece molded PP sink (L 600 x W 450 x D 315) e) Worktop mounted three way water tap with swan neck spout f) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs g) 4 Nos.- Leg space with Foot Rest					
82	ISLAND Bench (IB - 6 & 7) Size: L 5680 mm x W 1500 mm x H 900 mm	2.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support, Vertical support for leg space and Filler Panel in G.I. Construction. a) 8 Nos.- 750 mm wide storage module with one drawer two shutters b) 8 Nos.- Leg space with Foot Rest					
83	Wall Bench (WB - 11) Size: L 1230 mm x W 600 mm x H 750 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, Vertical support for leg space and Back & Filler Panel in G.I. Construction. a) 1 Nos.- 500 mm wide storage module with one drawer one shutter b) 1 Nos.- Leg space with Foot Rest					

	PG PHARMACOGNOSY LAB					
84	Wall Bench (WB - 16) Size: L 9180 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 7 Nos.- 750 mm wide storage module with one drawer two shutters</p> <p>b) 6 Nos.- Leg space with Foot Rest</p>					
85	Wall Bench (WB - 17) Size: L 10733 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support, Vertical support for leg space and Close & Filler Panel in G.I. Construction.</p> <p>a) 4 Nos.- 750 mm wide storage module with one drawer two shutters</p> <p>b) 1 Nos.- 750 mm wide storage module with two shutters</p> <p>c) 1 Nos.- Single piece molded PP sink (L 600 x W 450 x D 315)</p> <p>d) Worktop mounted three way water tap with swan neck spout</p> <p>e) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs</p> <p>f) 7 Nos.- Leg space with Foot Rest</p>					
	PREPARATION ROOM					
86	Wall Bench (WB - 18) Size: L 2202 mm x W 750 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, Vertical support for leg space and Filler Panel in G.I. Construction.</p> <p>a) 1 Nos.- 750 mm wide storage module with one drawer two shutters</p> <p>b) 1 Nos.- 750 mm wide storage module with two shutters</p> <p>c) 1 Nos.- Single piece molded PP sink (L 600 x W 450 x D 315)</p> <p>d) Worktop mounted three way water tap with swan neck spout</p> <p>e) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs</p> <p>f) 1 Nos.- Leg space</p>					
	STORE ROOM					
87	Slotted angle rack Size: L 1000 x D 450 x H 1830mm	6.00	nos.		-	
	<p>Providing and fixing of rack fabricated out of 50 x 50 x 2 mm thk Slotted angle in GI construction</p> <p>dully epoxy powder coated with 5 Nos. Shelves (1.2mm Thk) with SS hardware.</p>					
	CULTURE ROOM					
88	Wall Bench (WB - 15) Size: L 3360 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.</p> <p>a) 2 Nos.- 750 mm wide storage module with one drawer two shutters</p> <p>b) 1 Nos.- 500 mm wide storage module with one drawer one shutter</p> <p>c) 2 Nos.- Leg space with Foot Rest</p>					

	INSTRUMENTATION LAB					
89	Wall Bench (WB - 22) Size: L 1230 mm x W 600 mm x H 750 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, Vertical support for leg space and Back & Filler Panel in G.I. Construction. a) 1 Nos.- 500 mm wide storage module with one drawer one shutter b) 1 Nos.- Leg space with Foot Rest					
90	ISLAND Bench (IB - 8) Size: L 4280 mm x W 1500 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction. a) 6 Nos.- 750 mm wide storage module with one drawer two shutters b) 6 Nos.- Leg space with Foot Rest					
91	ISLAND Bench (IB - 9,10 & 11) Size: L 5680 mm x W 1500 mm x H 900 mm	3.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction. a) 8 Nos.- 750 mm wide storage module with one drawer two shutters b) 8 Nos.- Leg space with Foot Rest					
92	Wall Bench (WB - 23) Size: L 14415 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction. a) 11 Nos.- 750 mm wide storage module with one drawer two shutters b) 3 Nos.- 750 mm wide storage module with two shutters c) 3 Nos.- Single piece molded PP sink (L 600 x W 450 x D 315) d) Worktop mounted three way water tap with swan neck spout e) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs f) 6 Nos.- Leg space with Foot Rest					
	PREPARATION ROOM					
93	Wall Bench (WB - 19 & 21) Size: L 5835 mm x W 900 mm x H 900 mm	2.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction. a) 4 Nos.- 750 mm wide storage module with one drawer two shutters b) 4 Nos.- Leg space with Foot Rest					

94	Corner Bench (CB - 6 & 7) Size: L 1180 mm x W 1180 mm x H 900 mm	2.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction. a) 1 Nos.- Single piece molded PP sink (L 600 x W 450 x D 315) b) Worktop mounted three way water tap with swan neck spout c) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs d) 1 Nos.- Corner storage module with one shutter					
95	Wall Bench (WB - 20) Size: L 1910 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch and Filler Panel in G.I. Construction. a) 1 Nos.- 750 mm wide storage module with one drawer two shutters b) 1 Nos.- 500 mm wide storage module with one drawer one shutter c) 1 Nos.- Leg space with Foot Rest					
Dept of Pharmaceutics Lab No. 1						
96	Wall Bench (WB - 1) Size: L 5075 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction. a) 5 Nos.- 750 mm wide storage module with one drawer two shutters b) 2 Nos.- Leg space with Foot Rest					
97	Corner Bench (CB - 1 & 2) Size: L 1180 mm x W 1180 mm x H 900 mm	2.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction. a) 1 Nos.- Single piece molded PP sink (L 600 x W 450 x D 315) b) Worktop mounted three way water tap with swan neck spout c) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs d) 1 Nos.- Corner storage module with one shutter					
98	Wall Bench (WB - 2) Size: L 8340 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction. a) 6 Nos.- 750 mm wide storage module with one drawer two shutters b) 1 Nos.- 500 mm wide storage module with one drawer one shutter c) 5 Nos.- Leg space with Foot Rest					
99	Wall Bench (WB - 3) Size: L 4975 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction. a) 4 Nos.- 750 mm wide storage module with one drawer two shutters b) 3 Nos.- Leg space with Foot Rest					

100	ISLAND Bench (IB - 1 & 2) Size: L 6400 mm x W 1500 mm x H 900 mm	2.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 10 Nos.- 750 mm wide storage module with one drawer two shutters</p> <p>b) 8 Nos.- Leg space with Foot Rest</p>					
Dept of Pharmaceuticals Lab No. 2						
101	Wall Bench (WB - 6) Size: L 5075 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 5 Nos.- 750 mm wide storage module with one drawer two shutters</p> <p>b) 2 Nos.- Leg space with Foot Rest</p>					
102	Corner Bench (CB - 3 & 4) Size: L 1180 mm x W 1180 mm x H 900 mm	2.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 1 Nos.- Single piece molded PP sink (L 600 x W 450 x D 315)</p> <p>b) Worktop mounted three way water tap with swan neck spout</p> <p>c) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs</p> <p>d) 1 Nos.- Corner storage module with one shutter</p>					
103	Wall Bench (WB - 5) Size: L 8440 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.</p> <p>a) 6 Nos.- 750 mm wide storage module with one drawer two shutters</p> <p>b) 1 Nos.- 500 mm wide storage module with one drawer one shutter</p> <p>c) 5 Nos.- Leg space with Foot Rest</p>					
104	Wall Bench (WB - 4) Size: L 4975 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 4 Nos.- 750 mm wide storage module with one drawer two shutters</p> <p>b) 3 Nos.- Leg space with Foot Rest</p>					
105	ISLAND Bench (IB - 3 & 4) Size: L 6400 mm x W 1500 mm x H 900 mm	2.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 10 Nos.- 750 mm wide storage module with one drawer two shutters</p> <p>b) 8 Nos.- Leg space with Foot Rest</p>					

	Dept of Pharmaceutics Lab No. 3					
106	Wall Bench (WB - 7) Size: L 4327 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 3 Nos.- 750 mm wide storage module with one drawer two shutters b) 3 Nos.- Leg space with Foot Rest</p>					
107	Wall Bench (WB - 8) Size: L 6200 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 3 Nos.- 750 mm wide storage module with one drawer two shutters b) 2 Nos.- 750 mm wide storage module with two shutters c) 1 Nos.- 500 mm wide storage module with one drawer one shutter d) 2 Nos.- Single piece molded PP sink (L 600 x W 450 x D 315) e) Worktop mounted three way water tap with swan neck spout f) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs g) 3 Nos.- Leg space with Foot Rest</p>					
108	Corner Bench (CB - 5) Size: L 1180 mm x W 1180 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>Corner storage module with one shutter</p>					
109	Wall Bench (WB - 9) Size: L 5759 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Single sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch , MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction.</p> <p>a) 4 Nos.- 750 mm wide storage module with one drawer two shutters b) 1 Nos.- 750 mm wide storage module with two shutters c) 1 Nos.- 500 mm wide storage module with one drawer one shutter d) 1 Nos.- Single piece molded PP sink (L 600 x W 450 x D 315) e) Worktop mounted three way water tap with swan neck spout f) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs g) 2 Nos.- Leg space with Foot Rest</p>					
110	ISLAND Bench (IB - 3 & 4) Size: L 6400 mm x W 1500 mm x H 900 mm	2.00	nos.		-	
	<p>Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Double sided double tier reagent rack with electrical raceway, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction.</p> <p>a) 10 Nos.- 750 mm wide storage module with one drawer two shutters b) 8 Nos.- Leg space with Foot Rest</p>					

	LAB NO. 108 (GF)					
111	Low Constant Volume (LCV) type Bench Fume Hood (Size: L 1500 x D 915 x H 2300 mm) (For AC Lab)	1.00	nos.		-	
	Providing and fixing of Fume Hood Superstructure, Fume Hood Worktop, Service Valves with Electrical Fittings, Controls, Fume Hood Understructure, Fume Hood Under-Cabinet (Chemical Storage Purpose) and its Accessories.					
112	Exhaust Fan (315 mm Dia) - one fan for 1 Nos. 1500 mm wide Fume Hood	1.00	nos.		-	
	Single piece molded UV treated chemical resistant SISW direct driven centrifugal fan in PP construction with suitable stand in MS powder coated construction, CFM 500 to 600 Corrosive resistant PP Impeller with extra strength, high efficiency, properties which produces lower noise and power consumption. Drive - 1 HP, 1400 RPM, 415V, 50Hz., TEFC Class B insulation induction motor with IP55 enclosure, in Non- FLP const. 16A, 3Ph MCB for Fan - Refer Specs Sheet DOL Starter for Motor.					
113	ISLAND Bench (IB - 1) Size: L 3050 mm x W 1500 mm x H 750mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction. a) 8 Nos.- 750 mm wide storage module with one drawer two shutters					
114	Wall Bench (WB - 1) Size: L 750 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, and Filler Panel in G.I. Construction. a) 1 Nos.- 750 mm wide storage module with one drawer two shutters					
115	Corner Bench (CB - 1) Size: L 1180 mm x W 1180 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Filler Panel in G.I. Construction. a) 1 Nos.- Corner storage module with one shutter					
116	Wall Bench (WB - 2) Size: L 6570 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch, MS 25 X 25 X 1.2 mm Sq. Pipe for Granite Support and Close & Filler Panel in G.I. Construction. a) 8 Nos.- 750 mm wide storage module with one drawer two shutters b) 1 Nos.- 500 mm wide storage module with one drawer one shutter					

117	Wall Bench (WB - 3) Size: L 5775 mm x W 900 mm x H 900 mm	1.00	nos.		-	
	Providing and fixing of Work top in 18 ± 1 mm thick Black Granite construction, Worktop mounted electrical raceway in GI powder coated construction, 6/16 Amp electrical sockets and 16 Amp one way switch and Filler Panel in G.I. Construction. a) 6 Nos.- 750 mm wide storage module with one drawer two shutters b) 1 Nos.- 750 mm wide storage module with two shutters c) 1 Nos.- 500 mm wide storage module with one drawer one shutter d) 1 Nos.- Single piece molded PP sink (L 600 x W 450 x D 315) e) Worktop mounted three way water tap with swan neck spout f) Peg Board in Phenolic resin construction with 20 Nos. PP Pegs					
118	Wall Mounted Storage Cabinet Size: L 750 mm x W 350 mm x H 600 mm	18.00	nos.		-	
	Providing and fixing of Wall mounted cabinets in G.I. construction with epoxy powder coated one no. adjustable shelf with double skin Glass doors and Locks.					
	EXTRA ITEMS					
119	PP Ducting for Fume Hoods	30.00	rmt.		-	
120	Electrical wiring connection between Fume Hoods and Exhaust Fans	100.00	rmt.		-	
	TOTAL (WITHOUT GST)				-	
	GST 18% EXTRA				-	
	GRAND TOTAL (INCLUSIVE OF GST)				-	