## JAMIA HAMDARD UNIVERSITY

HAMDARD NAGAR, NEW DELHI - 110062

# TENDER DOCUMENT FOR RENOVATION OF DEAN OFFICE, BOARD ROOM AND CONFERENCE HALL/LECTURE THEATER OF FACULTY OF SCIENCE

#### NOTICE INVITING TENDER

# Subject: Enovation of Dean Office, Board Room and Conference Hall/Lecture Theatre of Faculty of Science.

The University intends to undertake the work of Renovation of Dean Office, Board Room and Conference Hall/Lecture Theatre of Faculty of Science located at Hamdard Nagar, New Delh-110062. The scope of work involves False Ceiling, Vitrified Flooring, Wooden flooring, Plumbing, Sanitary works, Electrical, Air conditioning, PA system, internet wiring works etc which includes painting and general repair wherever necessary. Details & specification of the work are given at schedule of Quantities attached herewith. (Annexure-'A' for Civil works and Annexure-'B' for Electrical and Air-conditioning works.

The estimated costs of the works are as under:

1- Civil Engineering Works (Annexure-'A') Rs.11.42 Lakhs 2- Electrical, Air-conditioning and PA System works (Annexure-'B') Rs.13.00 Lakhs

The bids may be submitted by the following categories of parties.

Contractors for Civil Engineering works, who have executed similar nature of Civil Engineering works of at least one contract of value Rs. 9 lakhs, or two contracts of similar nature of work of Rs. 7 lakhs or three contracts of similar natures of works of Rs. 4.5 lakhs in last 10 years.

Similarly Contractors for Electrical and Air-conditioning works, who have executed similar nature of Electrical and Air-conditioning works of at least one contract of value Rs.10 lakhs, or two contracts of similar nature of work of Rs.7 lakhs or three contracts of similar natures of works of Rs. 5 lakhs in last 10 years.

Contractors should have executed similar nature of work in prestigious institutional buildings, Universities, hospitals etc, and produce credentials in support thereof.

The quantities given in the schedule are tentative and the actual quantities to be executed may vary (+ or - ). The total works have to be executed within 45 days from award of work for civil Engineering works and 55days for Electrical, Air-conditioning and PA system works. Therefore contractors with large work force/resources need only apply. Delay in execution of works shall attach liquidated damage charges as per CPWD condition of contract.

The works shall be carried out as per schedule and other specification and its general conditions of contracts of CPWD.

Bidders downloading tender documents shall submit their bid along with necessary application fee as herein specified. **Kindly visit the site before quoted the tender.** 

EMD - Rs.23000/- for civil works

Application Fee- Rs. 1000/-

Last date of submission of bid
Date of opening of bids
Time for completion
23.01. 2017(up to 3pm)
23.01. 2017 at 3:30 pm
45 days (Civil works)

Time for Completion 55 days (Electrical, Air-conditioning and PA System works)

(No soft copy submission)

#### 8- Requirements to be fulfilled:

a) No subletting or subcontracting of the work will be permitted.

- b) An affidavit on e-stamp paper of Rs. 50/- duly notarized to the effect that the bidder undertakes that the documents submitted by him are genuine and undisputable and in the event of it coming to notice at a later date that the documents are not genuine the bidder shall be liable for criminal action and such compensation payable to Jamia Hamdard University as may be decided by its competent authority.
  - c) The Company shall give an undertaking that for carrying out electrical works, they shall Employ workman having valid electrical license from competent authority
  - d) (i) The Tenderer/Bidder will not withdraw his/their Tender after opening of technical bid and if done so; his/their EMD may be forfeited.
  - (ii) The Bidder has not been black listed by any of the Govt. Depts./Govt. Institutions etc. during last three years.
  - (iii)There is no complaint against the Tenderer / Bidder such as 'delayed supply, non-supply/non-completion of work, non-submission of performance bank guarantee and refusal of supply etc. and for which 'no punishment of any type' has been given by any of the Govt. Deptts. / Govt. Institution etc.
  - (iv)Names of all companies/firms where the bidder is the promoter / director / partner and/or proprietor.

Name of companies / firms, where the bidder was/is operating their Bank Accounts.

Bank Account No. of the bidder's Company/Agency and names of authorized persons (with copy their identification), who were/are operating its Bank account.

The offer shall remain open for at least days from the date of opening of Technical Bids. The Cost of tender (if down loaded from web site) and Earnest money shall be accepted only in the form of

demand draft/Pay order drawn in favour of the Registrar, Jamia Hamdard University, failing which the bid will summarily be rejected.

#### GENERAL TERMS AND CONDITIONS

Name of Work: -Renovation of Dean Office, Board Room and Conference Hall/Lecture Theatre of Faculty of Science.

- 1. The work shall be carried out following standard and accepted norms of sound engineering practice.
- 2. The CPWD General Terms and conditions and CPWD specifications with latest amendments & CPWD Manual provisions shall be applicable in execution of the project and shall form part of the contract.
- 3. The cost of tender is Rs. 1000.00 (**Non refundable**). The tender document can be purchased from the University office and the above mentioned cost of the tender document will have to be paid through a separate Demand-Draft drawn in favour of "Registrar, Jamia Hamdard University" payable at New Delhi along with the Commercial Bid, failing which the bid will summarily be rejected.
- 4. Earnest Money Deposit (EMD) of Rs.23000/- for Civil works and Rs.26000/- Electrical, Air conditioning and PA System works have to be enclosed along with the Bid. The EMD shall be only in the form of Demand Draft drawn in favour of "Registrar, Jamia Hamdard", payable at New Delhi, failing which the bid will summarily be rejected. No Cheque / Cash shall be accepted as EMD.
- 5. The rates shall be inclusive of all taxes (Including Service Tax), duties and cartage etc. No escalation of taxes shall be payable by the **Jamia Hamdard** during the contract period.
- 6. The tenderers shall attach copy of PAN Card.
- 7. Duly sealed tenders shall be dropped in the tender box placed at the Purchase Section, Basement of Administration Building. **Bid** MUST contain one Xerox copy of the

- unfilled bid document duly signed and stamped on each page as a token of acceptance of all terms and conditions /clauses of the tender enquiry.
- 8. The conditional bids shall not be considered under any circumstances and rejected without any notice or assigning any reasons therefore.
- 9. All bids once submitted shall be the property of Jamia Hamdard, and bidders will lay no claim whatsoever on the same.
- 10. Jamia Hamdard, reserves the right to reject any or all the tenders in full or in part without assigning any reasons whatsoever, and the decision of the University in this regard will be binding on all the bidders. Tenderers not complying with any of the provisions stated in this tender document are liable to be rejected. Jamia Hamdard, reserves the right to accept or reject any or all tenders without assigning any reason and does not bind himself to accept the lowest tender.
- 11. No T & P shall be supplied by the University.
- 12. Income tax shall be deducted from the contractor bill as per Govt. of India rules.
- 13. Jamia Hamdard welfare fund charges will deducted@0.25% of the amount of total billed amount.
- 14. (i) Successful bidder shall deposit an amount equal to 5% of the tendered and accepted value of the work as performance guarantee within 10 days of issue of letter of acceptance. The performance guarantee shall be valid upto the completion of defect liability period.
- (ii) Security shall be deducted @ 5 % of value of work done and total amount of security & performance guarantee shall be released after expiry of the defect liability period of one year effective from date of completion.

- 15. Earnest money deposited by the successful tenderer shall be converted in to security deposit & is adjustable against the actual amount to be deducted under clause 14 above.
- 16. The time allowed for completion of work shall be 45 days for civil works and 55 days for Electrical, Air-conditioning and PA system works which shall be reckoned from 3<sup>rd</sup> (third) day from the date of issue of work order.
- 17. Time allowed for the work shall be strictly followed otherwise the contractor shall be liable to pay compensation @ 1.5% of the tendered value of the work per week of delay on the part of the contractor. The decision of Engineer-in-charge about the delay shall be final and binding. However, for any reason beyond the control of the contractor the extension of time shall be granted upon application by the contractor in prescribed format. No claim for any compensation during the extended period shall be entertained and the University's decision in this regard shall be final.
- 18. No escalation in any form either of material or labour shall be payable by the University. The bidder shall also absorb any statutory escalation/increase of wages /material cost if any, anticipated during the contract tenure, including extended tenure.
- 19. All material brought at site shall be as per list of specification & schedule of quantities (shall be strictly followed) and shall be got entered in the site book and approved by Engineer-In-charge before being used.
- 20. Mandatory tests have to be carried out as asked for by the Consultant/Engineer-In-Charge. Nothing extra shall be paid for such purpose.
- 21. In case the successful bidder resiles from the offer within one month of the work offer, the earnest money will be forfeited. Similarly if successful bidder fails to commence the work after issue of award letter, the amount of earnest money will also be forfeited.
- 22. Any violation of instruction/agreement or suppression of facts will attract cancellation of agreement without any reference or any notice period and in such case the amount of earnest money will be forfeited.

23. If agency at any time makes default during currency of work or does not execute any part of the work with due diligence or Commits default in complying with any of the terms and conditions of the contract and does not initiate any remedy for it or takes effective steps for its remedy or Fails to complete the work(s) or items of work within date of completion, on or before the date(s) so determined, and does not complete them within the period specified in the notice given in writing in their behalf by the Engineer-in-Charge.

The Engineer- in-Charge without prejudice to any other right or remedy against the contractor which have either accrued or accrue thereafter to the Government, by a notice in writing to take the part work / part incomplete work of any item(s) out of his hands and shall have powers to take possession of the site and any materials, constructional plant, implements, stores, etc., thereon; and/or Carry out the part work / part incomplete work of any item(s) by any means at the risk and cost of the contractor.

- 24. Registrar, Jamia Hamdard University reserves the right to terminate the contract without any reference or any notice period on account of poor workmanship, non-compliance of set norms/specifications for the works, delay in progress of work, violation of any contract provisions by the contractor, failure to start the work at Jamia Hamdard University, within 10 days from date of issue of Letter of Intent (L.O.I). In such cases the contractor is liable to pay Liquidated Damages @ 5% of tendered value besides security deposit.
- 25. Decision of Registrar, Jamia Hamdard in regard to interpretation of the terms and conditions and the Agreement shall be final and binding on the Agency.
- 26. The tenderer shall be solely responsible for any accident/medical/health related liability/compensation for the personnel deployed by it at Jamia Hamdard. The Jamia Hamdard shall have no liability in this regard.

- 27. The personnel provided by the agency will not claim to become the employees of Jamia Hamdard and there will be no Employee and Employer relationship between the personnel engaged by the Agency and Jamia Hamdard.
- 28. No tent or hut shall be allowed to be put up for workers to stay within the campus. The contractor is deemed to have inspected the site and thoroughly acquainted himself with the site conditions, availability of storage space for materials etc.
- 29. The tenderer should take extra precaution to ensure that there is absolutely no damage to the surrounding structure/existing system etc. If any damage made by agency, it will be got repaired/replaced/rectified by the agency itself at no extra cost.
- 30. The tenderer should make special note of the fact that the Renovation/remodelling/repair works are to be carried out in the existing functional building and the agency will adopt necessary barricading / covering of the area under execution with no / least disturbance to adjoining / surrounding areas of the building under use for teaching / research, etc. The tenderer shall depute their own security staff for watch and ward of their materials supplied/ installed at site till the final handing over of the complete work and temporary lockable shed/Almirah etc. shall be arranged by contractor at his own risk and cost. No accommodation/ staff/ lockable space will be provided by Jamia Hamdard under any circumstances.
- 31. It may here be noted, that the entire staff and labour of the Agency will follow all the security instructions issued by Jamia Hamdard University from time to time and these instructions may include the provisions to make suitable barricades or temporary wall fence to ensure that the labour confines itself to the area of the work ONLY. Serious action will be taken in case any of the contractor's workmen are found to be tampering with the Laboratory equipment and property of the University. Suitable damages will be recovered from the contractor's bills if anyone is found to do so. All decisions of the Engineer-in Charge in respect of the same will be final and binding on the contractor.

- 32. On completion of all work, Agency shall remove all surplus materials & leave the site in a broom clean condition, failing which the same shall be done at Agency's risk & cost.
- 33. The Agency shall ensure compliance of all statutory laws & bye laws of the central govt./ state govt./Municipal authorities related to the employment of their staff and all obligations under Minimum Wage Act, Workman Compensation Act, Provident Fund & Miscellaneous Provision Act, Bonus Act & Contract Labour Act 1970 etc. Jamia Hamdard University will not be responsible for such purposes in anyway.
- 34. Any claim, dispute or difference arising out of or in connection with this agreement and which cannot be settled by mutual consultations, shall be referred to sole Arbitration or an Arbitrator to be appointed by the Registrar, Jamia Hamdard University. The award of the Arbitrator shall be final and binding between the parties as per the terms and conditions of the Agreement to be executed on award of contract. The Arbitrator proceeding shall be governed by the Arbitration and Conciliation Ordinance dated 26th March, 1996 and shall be conducted in Delhi. The agreement drawn shall be subjected to the jurisdiction of the courts at Delhi.
- 35. Shop Drawing:- (i) The shop drawing for all works as required by Engineer-in-charge shall be submitted in quadruplicate at no extra cost by the contractor and in the manner so required by them. The contractor shall proceed with the works only after approval by the Engineer-in-charge. Such drawings shall be coordinated with all disciplines if work

#### GENERAL CONDITIONS FOR SUBMISSION OF TENDER

#### 1.0 Submission of Tender:

Tenders should be submitted in sealed envelopes. The tender duly filled in should be sent to above mentioned address either by post or hand delivered in the tender box kept in the Purchase Section, Basement of Admintration, Jamia Hamdard. Jamia Hamdard will not be responsible for tenders lost in postal transit or otherwise.. It should not be handed over to any

employee of the Jamia Hamdard. No tender shall be accepted later than the time schedule specified above. Tender once submitted will remain with the Jamia Hamdard and will not be returned to the bidder.

#### 2.0 Price Bid:

In this bid the bidder is required to quote his items rates/prices for the "Renovation of Dean Office, Board Room and Conference Hall/Lecture Theatre of Faculty of Science. AT JAMIA HAMDARD." in the schedule of work attached. The scope of work & technical specifications are provided for your reference. The quoted prices shall be including all the taxes levied by statutory Govt. bodies. It is mandatory on bidder to quote all items rate as asked for in the BOQ/ Schedule of work. Failure to adhere to this condition may lead to rejection of tender. The bidders should quote unconditional rates, neatly written without any overwriting and duly signed & stamped in all pages.

#### 3.0 Validity of Tender:

Tender shall be valid for our acceptance without any change in rates and NIT conditions for a period of 45 days and 55 days from the date of opening of Technical Bid.

#### **Declaration by the Tender**

This is to certify that I/We before signing this tender have read and fully understood all the terms and conditions contained herein and undertake myself/ourselves to abide by them.

#### Encls:

- 1. DD/Pay Order No.....
- 2. Terms & conditions (each page must be signed and stamped with the seal)

3. Financial Bid.
(Signature of Tenderer with seal)
Name:
Address:
Date:
Phone No:

#### 4.0 Information about the tenderer

#### A. In case of individual

- i Name of Business; His age and father's name
- ii. Whether his business is registered
- iii. Date of commencement of business
- iv. Whether he pays Income Tax over Rs.10, 000/- per year.

#### **B.** In case of Partnership

- i. Name of Partners
- ii. Whether the partnership is registered
- iii. Date of establishment of firm
- iv. If each of the partners of the firm pay income tax over Rs.10, 000/- a year and if not which of them pays the same.
- v. Copies of partnership deed, if any.

#### C. In case of Company Limited by Shares or Company Limited by Guarantees.

- i. Amount of paid up capital
- ii. Name of Directors
- iii. Date of Registration of Company
- iv. Copies of the last two (2) years balance sheet of the Company.
- v. Certified copies of Memorandum and Articles of Association of Company.

SIGNATURE OF TENDERER DATE:

#### **5.0** Exceptions and Deviations

2.0		, <del></del>		
NAM	IE OF WORK :			
NAM	IE OF TENDERER :			
	ointed out in the Notice er conditions, if consider		late here exceptions and deviations to the	
Sl. No.	Page No. of Tender document	Cl. No. of Tender document	Subject Deviation	
SIGN	NATURE OF TENDE	RER		
DAT	E :			
PLA	CE:			

#### SPECIAL CONDITIONS OF CONTRACT

#### 1. OWNER:

The name and address of the Owner / Engineer-in-Charge responsible for the preparation of the Contract documents are as follows:-

#### **OWNER:**

JAMIA HAMDARD, NEW DELHI

#### 2. SITE

2.1 The site is Renovation of Dean Office, Board Room and Conference Hall/Lecture Theatre of Faculty of Science, AT JAMIA HAMDARD.

#### 2.2 CONTRACTOR TO SATISFY HIMSELF ABOUT SITE CONDITIONS

Before tendering, the Contractor shall visit and examine the site and satisfy himself as to the site conditions the correct dimensions of the work and facilities for obtaining the special articles called for in the contract documents and shall obtain generally his own information on all matters affecting the continuation and progress of the works. No extra charge made in consequence of any misunderstanding or incorrect information on any of these points or on the grounds of insufficient description will be allowed.

#### **SCOPE OF WORK**

#### 3.1 **SCOPE**

The general character and the scope of work is illustrated and defined by the Schedule of Quantities, drawings and Specifications herewith attached.

#### 3.2 EXTENT

The Contractor shall carry out and complete the said work in every respect in accordance with the contract, and with the directions of and to the satisfaction of the Engineer-in-charge and REGISTRAR, JAMIA HAMDARD.

#### 4.0 CONTRACT DRAWINGS

Drawings forming part of the contract are listed under. Other drawings and details issued and shop drawings approved during the currency of the contract shall also form part of the contract.

The Contractor shall keep at least one copy each of drawings, conditions of contract, specifications, instructions and schedule of quantities at the site of works available for reference by any authorized representative **JAMIA HAMDARD**, at all times during the progress of the works. The drawings shall be displayed and arranged as directed by the Architects.

#### 5.0 TYPE OF CONTRACT

The Contract shall be an item rate contract. The Contractor shall be paid at the contract rates, for the actual quantity of work carried out by him in accordance with the Contract documents as measured.

#### 5.1 SCHEDULE OF QUANTITIES

The quantities given in the Schedule of Quantities are provisional and are meant to indicate the intent of the work and provide a uniform basis for tendering. The Contractor shall be paid for the actual quantity of work executed by him in accordance with Contract Documents at the contract rates.

#### 6.0 WATER AND ELECTRICITY FOR CONSTRUCTION

Water for use at site of work shall be arranged by the contractor. The contractor shall make his own arrangement for any temporary service piping taps as required for his use on the works and shall remove the same on completion. Electricity required for the job shall be made available and shall be charged as per CPWD norms or the contractor may arrange for the same at their own cost. However, necessary piping, valve, wiring, cabling, lamps, switches & sockets, main switches, halogen/tube light fitting and tapping from existing line/connection including labour have to be arranged by the contractor at their own risk & cost.

#### 7.0 PAYMENT OF CONTRACTORS BILL

Subject to the provisions of terms and conditions of the contract, , JAMIA HAMDARD, shall affect Contract payments against RA Bills shall be released to the contractor as below:

Final Bill: Within one (1) months of submission of the Bill with the final completion certificate and as per the terms and conditions of the Contract.

Note: All Bills are required to be supported by Detailed Measurement Sheet and Analysis of Rates for Extra Items and its approval along with the Bill. The Bills shall be submitted in specified format which should indicate quantities executed in all RA Bills and cumulative Quantities besides current bill quantities along with tendered quantity/unit/rates. There may occur deviations from the above noted schedule of payments in exigent circumstances.

#### 8.0 MOBILIZATION ADVANCE (M.A.)

- **8.1** If specifically requested by the tenderer in the offer itself, a maximum of 10% (Ten percent) of contract value will be paid to Contractor as Mobilization Advance (MA).
- **8.2** All other terms of MA, rate interest chargeable, recovery of MA shall be as per CPWD/GCC

#### 9.0 SCHEDULE OF RATES TO BE INCLUSIVE

Schedule of Rates shall be deemed to include and cover all costs, taxes, octroi, expenses and liabilities of every description and all risks of every kind (FOR Site) to be taken in executing, completing and handing over the work to the Owner by the contractor. The contractor shall be deemed to have known the nature, scope, magnitude and the extent of the works and materials required, through the contract documents may not fully and precisely furnish them. He shall make such provision in the Schedule of Rates as he may consider necessary to cover the cost of such item of work and materials as may be reasonable and necessary to complete the works. The opinion of the Architects as to the items of work which are necessary and reasonable for completion of work shall be final and binding on the contractor, although the same may not be shown on or described specifically in contract documents.

**10.0** Generality of this present provision shall not be deemed to cut down or limited in any way because in certain cases it may and in other cases it may not be expressly stated that the Contractor shall do or perform a work or supply articles or perform services at his own cost or without additional payment or without extra charges or words to the same effect or that it may be stated or not stated that the same are included in and covered by the Schedule of Rates.

## 11.0 SCHEDULE OF RATE TO COVER CONSTRUCTIONAL PLANT, MATERIALS, LABOUR, ETC.

Without in any way limiting the provisions of the preceding sub-clause the schedule of Rates shall be deemed to include and cover the cost of all constructional plant, temporary works (except as provided for herein specifically) pumps, materials, labour, insurance, fuel, stores and appliances to be supplied by the contractor and all other matters in connection with each item in every respect maintained and as shown or described in the contract documents or as may be ordered in writing during the continuance of the contract.

## 12.0 SCHEDULE OF RATES TO COVER ROYALTIES, RENTS, PROVIDEND FUND, ANDCLAIMS

The Schedule of Rates shall be deemed to include and cover the cost of all royalties and fees for all articles, processes, protected by letters, patent or otherwise incorporated in or used in connection with the works, also all royalties, rents and other payments in connection with obtaining materials of whatsoever kind for the works and shall include an indemnity to JAMIA HAMDARD which the contractor hereby give against all actions, proceedings, claims, damages, costs and expenses arising from the incorporation or the use on the works of any such

articles, processes or materials. Octroi or other Municipal or local Board charge, if levied on materials, equipment or machineries to be brought to site and removed from site for use on work or after completion of the work, shall be borne by the contractor. The contractor should be registered for Provident Fund and would be required to make the deductions on the salaries paid to the workers and deposit the same to the concerned department.

#### 13.0SCHEDULE OF RATES TO COVER TAXES AND DUTIES

No exemption or reduction of customs duties, excise duties sales tax, VAT or any part duties, transport carriages, stamp duties or Central or State Government or other body including one company or dues, taxes or charges (from or of anybody including the company), whatsoever will be granted or obtained all of which expenses shall be deemed to be included in and cover by the Schedule of rates. The contractor shall also obtain and pay for all permits, or other privileges necessary to complete work. In case where REGISTRAR, JAMIA HAMDARD UNIVERSITY wishes to avail Tax/Duty exemptions as applicable to the contractors shall comply with the instructions from REGISTRAR, JAMIA HAMDARD UNIVERSITY

#### 14.0SCHEDULE OF RATES TO COVER RISKS OF DELAY

The schedule or Rates shall be deemed to include and cover the risk of all possibilities of delay and interference with the contractor's conduct of the works which occur from any cause including orders of REGISTRAR, JAMIA HAMDARD UNIVERSITY in the exercise of his powers and on account of extension of time granted due to various reasons and for all other possible or probable causes of delay.

#### 15.0SCHEDULE OF RATES CANNOT BE ALTERED

For work under unit rate basis, no alteration will be allowed in the schedule of rates by reason of works or any part of them being modified, altered, extended, diminished or omitted. The schedule of rates are fully inclusive rates which have been fixed by the Contractor and agreed to by JAMIAHAMDARD and cannot be altered.

#### ANNEXURE-'A'

List of approved makes-civil work

S. Material Make						
Material	Make					
Ordinary Portiant Cement	L&T, Ultra Tech, ACC or other brands approved					
-	by the Engineer In-charge					
Steel Reinforcement Bars	TISCO, SAIL,RINL, Rathi Udyog Ltd					
Structural Steel Sections	TISCO,SAIL,RINL, Suprems					
Stone Aggregate (Blue/Black)	Sohna, Pali or other approved					
Water Proof Shuttering	Century, Green, Duro					
Paints	ICI, Asian, Berger, Nerolac					
Water Proof Paint	Apex (Asian),					
White Cement	Birla, JK Cement					
Waterproofing	Structural Water proofing Co, Dr. fixit, Overseas					
	Water Proofing					
	Dow Cornig/GE					
Glass and Mirror	Saint Gobain/Gardian/Asahi/Modi					
The Adhesives	Weber, Lafarge, Keisel, Balendura					
Expansion Joint Covers	C.S., Inpro					
Vitrified Tiles	Kajaria or equivalent					
Vertical Blinds	Vista or equivalent					
19mm commercial Board and 6mm thick Ply	Duro or equivalent					
Fittings						
Laminate	Greenlam or Equivalent					
Water closet, Cistern, Wash Basin	Hindware					
C.P. Brass Fittings	Parko or Equivalent					
Wooden laminate flooring	Pergo or equivalent					
	Material  Ordinary Portiant Cement  Steel Reinforcement Bars Structural Steel Sections Stone Aggregate (Blue/Black) Water Proof Shuttering Paints Water Proof Paint White Cement Waterproofing  Silicon Sealants Glass and Mirror The Adhesives Expansion Joint Covers Vitrified Tiles Vertical Blinds 19mm commercial Board and 6mm thick Ply Fittings Laminate Water closet, Cistern, Wash Basin C.P. Brass Fittings					

#### ANNEXURE-'A'

S.NO.	Description of Item	Qty	Unit	Rate	Amount
1.	Dismantling wooden false ceiling/Gypsum partition including disposal of unserviceable surplus material and staking of serviceable material at Maint. Store				
	or as directed by Engineer In-charge.	124.00	Sqm		
2.	Dismantling of flushing cistern/wash basin/W.C. of all types (C.I./PVC/Vitrious China) including stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead.	3.00	Each		
3.	Dismantling tile work in floors and walls laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm	20.00	Sqm		
4.	Disposal of building rubbish / malba / similar	12.13	cum		

		1	i	i	Ī
	unserviceable, dismantled or waste materials by				
	mechanical means, including loading, transporting,				
	unloading to approved municipal dumping ground or				
	as approved by Engineer-in-charge, beyond 50 m				
	initial lead, for all leads including all lifts involved.				
5.	Providing and laying vitrified floor tiles in floors and				
	skirting in different sizes (thickness to be specified				
	by the manufacturer) with water absorption less				
	than 0.08% and conforming to IS: 15622, of				
	approved make, in all colours and shades, laid on				
	Vitrified floor tiles with cement based high polymer				
	modified quick-set tile adhesive (Water based)				
	conforming to IS: 15477, in thickness asper site				
	condition including grouting the joints with white				
	cement and matching pigments etc., Size of Tile				
	600x600 mm. (double charged tiles of kajaria make	225.00	Sqm		
6.	Providing and fixing false ceiling at all height				
	including providing and fixing of frame work made of				
	special sections, power pressed from M.S. sheets				
	and galvanized with zinc coating of 120 gms/sqm				
	(both side inclusive) as per IS: 277 and consisting				
	of angle cleats of size 25 mm wide x 1.6 mm thick				
	with flanges of 27 mm and 37mm, at 1200 mm				
	centre to centre, one flange fixed to the ceiling with				
	dash fastener 12.5 mm dia x 50mm long with 6mm				
	dia bolts, other flange of cleat fixed to the angle				
	hangers of 25x10x0.50 mm of required length with				
	nuts & bolts of required size and other end of angle				
	hanger fixed with intermediate G.I. channels				
	45x15x0.9 mm running at the spacing of 1200 mm				
	centre to centre, to which the ceiling section 0.5 mm				
	thick bottom wedge of 80 mm with tapered flanges				
	of 26 mm each having lips of 10.5 mm, at 450 mm				
	centre to centre, shall be fixed in a direction				
	perpendicular to G.I. intermediate channel with				
	connecting clips made out of 2.64 mm dia x 230 mm				
	long G.I. wire at every junction, including fixing				
	perimeter channels 0.5 mm thick 27 mm high				
	having flanges of 20 mm and 30 mm long, the				
	perimeter of ceiling fixed to wall/partition with the				
	help of rawl plugs at 450 mm center, with 25mm				
	long dry wall screws @ 30 mm interval, including				
	fixing of gypsum board to ceiling section and				
	perimeter channel with the help of dry wall screws				
	of size 3.5 x 25 mm at 230 mm c/c, including				
	jointing and finishing to a flush finish of tapered				
	square edges of the board with recommended				
	jointing compound, jointing tapes, finishing with				
	jointing compound in 3 layers covering upto 150 mm				
	on both sides of joint and two coats of primer				
	suitable for board, all as per manufacturer's				
	specification and also including the cost of making				
	openings for light fittings, grills, diffusers, cutouts				
	made with frame of perimeter channels suitably				
	fixed, all complete as per drawings, specification	EE 00	Cam.		
	and direction of the Engineer in Charge but	55.00	Sqm		

	excluding the cost of painting with 12.5 mm thick		İ		1
	tapered edge gypsum fire resistent board				
	conforming to IS: 2095- Part I				
7.	Providing and laying water proofing treatment to	12.00	Sqm		
	vertical and horizontal surfaces of depressed				
	portions of W.C., kitchen and the like consisting of				
	(i) Ist course of applying cement slurry @ 4.4				
	kg/sqm mixed with water proofing compound				
	conforming to IS 2645 in recommended proportions including rounding off junction of vertical and				
	horizontal surface. :(ii) IInd course of 20 mm cement				
	plaster 1:3 (1 cement : 3 coarse sand) mixed with				
	water proofing compound in recommended				
	proportion including rounding off junction of vertical				
	and horizontal surface.(iii) Illrd course of applying				
	blown or residual bitumen applied hot at 1.7 kg. per				
	sqm of area.(iv) IVth course of 400 micron thick				
	PVC sheet. (Overlaps at joints of PVC sheet should				
	be 100 mm wide and pasted to each other with				
	bitumen @ 1.7 kg/sqm).	0.0	C		
8.	Providing and laying in position cement concrete of specified grade excluding the cost of centering and	0.3	Cum		
	shuttering - All work up to plinth level :1:3:6 (1				
	Cement : 3 coarse sand : 6 graded stone aggregate				
	20 mm nominal size)				
9.	Providing and fixing 1st quality ceramic glazed wall	22.00	Sqm		
	tiles conforming to IS: 15622 (thickness to be				
	specified by the manufacturer), of approved make,				
	in all colours, shades except burgundy, bottle				
	green, black of any size as approved by Engineer-				
	in-Charge, in skirting, risers of steps and dados,				
	over 12 mm thick bed of cement mortar 1:3 (1				
	cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing				
	in white cement mixed with pigment of matching				
	shade complete. (designer tills)				
10.	Providing and laying rectified Glazed Ceramic floor	5.00	sqm		
	tiles of size 300x300 mm or more (thickness to be				
	specified by the manufacturer), of 1st quality				
	conforming to IS: 15622, of approved make, in all				
	colours, shades, except White, Ivory, Grey, Fume				
	Red Brown, laid on 20 mm thick Cement Mortar 1:4				
	(1 Cement : 4 Coarse sand), including pointing the joints with white cement and matching pigments				
	etc., complete.				
11.	Reinforced cement concrete work in beams,	0.108	Cum		
	suspended floors, roofs having slope up to 15°	- <del>-</del>			
	landings, balconies, shelves, chajjas, lintels, bands,				
	plain window sills, staircases and spiral stair cases				
	up to floor five level, excluding the cost of centering,				
	shuttering, finishing and reinforcement, with 1:2:4 (1				
	cement : 2 coarse sand : 4 graded stone aggregate				
12.	20 mm nominal size).	1.62	Sam		<u> </u>
12.	Centering and shuttering including strutting, propping etc. and removal of form for : Suspended	1.02	Sqm		
	floors, roofs, landings, balconies and access				
	noors, roors, ianumys, balcomes and access		1	l .	L

	platform			
13.	Steel reinforcement for R.C.C. work straightening, cutting, bending, placing in position and binding all complete upto plinth level. Cold twisted bars	20.00	Kg	
14.	12 mm cement plaster of mix: 1:4 (1 cement: 4 fine sand)	20.00	Sqm	
15.	French spirit polishing: Two or more coats on new works including a coat of wood filler	40.00	Sqm	
16.	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level. Cement mortar 1:4 (1 cement :4 coarse sand)	10.00	Sqm	
17.	Extra for providing and placing in position 2 Nos 6mm dia. M.S. bars at every third course of half brick masonry.	10.00	Sqm	
18.	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length ( hold fast lugs or dash fastener shall be paid for separately). Second class teak wood including polishing work and fixing teak wood moulding.	0.06	Cum	
19.	Providing and fixing wash basin with C.I. brackets, 32 mm C.P. brass waste of standard pattern,including painting of fittings and brackets,cutting and making good the walls wherever required: White Viterious China Wash basin size 630x450mm.Hindwear or equivalent.	1.00	each	
20.	Providing and applying white cement based putty of average thickness 2mm, of approved brand and			
	manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	180.00	sqm	
21.	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface : Water thinnable cement primer	380.00	sqm	
22.	Wall painting with Acrylic emulsion paint of approved and mnufacture to give an even shade			
	,two or more coats on new work	330.00	sqm	
23.	Providing and fixing PTMT Bottle trap for wash basin and sink.Bottle trap 32mm single piece moulded with height of 260mm from the center of the waste coupling 77mm breadth with 25mm minimum water seal, weighting not less than 263gms.of prayag make.	1.00	each	
24.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and 20mm nominal outer dia. Pipes.	15.00	Meter	

25	Making appropriate of C.I. distribution brough with	4.00	<b> </b>	l I
25.	Making connection of G.I. distribution branch with	1.00	Each	
	G.l. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc.			
	complete:25 to 40mm nominal bore.			
26.	Providing and fixing 600x450 mm beveled edge	01	Each	
20.	mirror of superior glass (of approved quality)	Οī	Lacii	
	complete with 6 mm thick hard board ground fixed			
	to wooden cleats with C.P. brass screws and			
27	washers complete.	4.00	Гоор	
27.	Providing and fixing white vitreous china extended	1.00	Each	
	wall mounting water closet of size 780x370x690 mm			
	of approved shape including providing & fixing white			
	vitreous china cistern with dual flush fitting, of			
	flushing capacity 3 litre/6 litre (adjustable to 4 litre/8			
	litres), including seat cover, and cistern fittings,			
20	nuts, bolts and gasket etc complete.	04	F'	
28.	Providing and fixing white vitreous china pedestal	01	Each	
	for wash basin completely recessed at the back for			
20	the reception of pipes and fittings.	F 00	0006	
29.	Providing and fixing C.P. brass angle valve for basin	5.00	each	
	mixture and geyser points of approved quality			
30.	confirming to IS:8931 a) 15mm nominal bore.	03	Each	
30.	Providing and fixing aluminium extruded section	03	Each	
	body tubular type universal hydraulic door closer			
	(having brand logo with ISI, IS: 3564, embossed on			
	the body, door weight upto 36 kg to 80 kg and door			
	width from 701 mm to 1000 mm), with double speed			
	adjustment with necessary accessories and screws			
31.	etc. complete.	75.00	Ka	
31.	Providing and fixing aluminium work for doors,	75.00	Kg	
	windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z			
	sections and other sections of approved make			
	conforming to IS: 733 and IS: 1285, fixing with dash			
	fasteners of required dia and size, including			
	necessary filling up the gaps at junctions, i.e. at top,			
	bottom and sides with required EPDM rubber/			
	neoprene gasket etc. Aluminium sections shall be			
	smooth, rust free, straight, mitred and jointed			
	mechanically wherever required including cleat			
	angle, Aluminium snap beading for glazing /			
	paneling, C.P. brass / stainless steel screws, all			
	complete as per architectural drawings and the			
	directions of Engineer-in-charge. (Glazing, paneling			
	and dash fasteners to be paid for separately): For			
	fixed portion Powder coated aluminium (minimum			
	thickness of powder coating 50 micron)			
32.	Providing and fixing 12 mm thick prelaminated	2.4	Sqm	
	particle board flat pressed three layer or graded	∠.¬	94111	
	wood particle board conforming to IS: 12823 Grade			
	I Type II, in panelling fixed in aluminum doors,			
	windows shutters and partition frames with C.P.			
	brass / stainless steel screws etc. complete as per			
	architectural drawings and directions of engineer-in-			
	charge. Pre-laminated particle board with decorative			
L	charge in the farminated particle board with decorative		1	

	lamination on both sides			
33.	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. SUB HEAD: 21 - ALUMINIUM WORK 361 Code No. Description Unit Rate `362 SUB HEAD: 21 - ALUMINIUM WORK (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 8 mm thickness	15.00	Sqm	
<b>34.</b> 35.	Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS: 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50mm long with 6mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm center, with 25mm long dry wall screws @ 30 mm interval, including fixing of commercial ply to ceiling section and perimeter channel with the help of dry wall screws of size 3.5 x 25 mm at 230 mm c/c, including pasted of 4mm tick teak ply strips of 100 mm width including making of groove and also including the cost of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed, all complete as per drawings, specification and direction of the Engineer in Charge but including the cost of painting & polishing with 12 mm thick commercial ply pasted with 4mm thick teak ply strips of width of 100 mm with groove pattern complete as required.	100.00	Sqm	
55.	Tremoving the wall paper completely including	35.00	Sqm	

I	cleaning the surface for applying the finishing work		]		I
	as required				
36.	Removing the existing carpet/P.V.C. flooring				
00.	including cleaning the surface as required and				
	staking the flooring at maintenance store or as				
	directed by engineer In-charge.	161.52	Sqm		
37.	Repair of executive table (existing) by removing the		•		
	existing laminate and re pasted the new laminate of				
	1mm thick of approved color and make including				
	necessary polishing and repair work complete as				
	required . The size of the table is approx 8'x3'x2.5'	1.00	Job		
38.	Providing and making computer table of size				
	3'x2'x2.5' which is made out of 19mm thick				
	commercial board pasted with 1mm thick laminate				
	on all exposed surface of approved color and make				
	. The computer table having a sliding tray made out				
	of 19mm board supported with having sliding				
	channels including provision of keeping the CPU				
	and files complete with teak wood moulding/margin including necessary polishing work.	1.00	Nos		
39.	Providing & fixing of wall paper (3D) of approved	1.00	1105		
55.	quality with adhesive etc. complete. (basic cost of				
	wall paper is minimum of Rs. 45.00 per sqft.)	56.00	sqm		
40.	Removing the existing wooden doors for the	00.00	54		
	execution of flooring work and refixing the same in				
	proper size as required.				
		7.00	Each		
41.	Providing and laying 8mm thick wooden laminate				
	flooring of size 196mm into 1288 mm with				
	cushioning of 10 mm thick foam sheet of approved				
	quality and make including all necessary material				
	and labor and leveling of floor etc. complete (Basic cost of laminate floor is Rs. 150 per sqft.)	18.00	Sqm		
42.	Dismantling the existing galvanized iron and cast	1.00	Job		
72.	iron pipelines from the walls and floor etc. complete	1.00	305		
	as required including making of provision for fixing				
	the wall mounted water closet complete with				
	necessary PVC pipes and fittings with staking the				
	material with the campus as instructed by engineer				
	in charge.		<u></u>		
43.	Removing the khangar from the sunken of the toilet	120.00	Cft		
	and re-filling the same after cleaning the khangar				
	complete as required.				
44.	Providing and fixing 24" long 20mm dia C.P. brass	1.00	Nos		
4-	hanger rod with Hook complete. Jaquar make	4.60			
45.	Providing and fixing C.P.Brass toilet roll paper	1.00	Nos		
46	holder of jaquar				
46.	Providing a fixing jaquar brass square with round towel ring (chrome)	01	Each		
47.	Providing and fixing C.P. brass coat hook dual	1.00	Nos		
47.	systems complete. Jaquar make	1.00	1403		
<del></del>		4.00		-	+
48.	Providing and fixing copper connection pipe with	4.00	Nos		

1			1 1	
	PTMT Nuts, collar and brush of approved quality			
	and color. 15mm nominal bore with 45cm length.			
	Providing and fixing long body bib cock of	1.00	Each	
	approved quality confirming to IS standard and wt.			
	not less than 690gms0 15mm nominal bore (Jaquar			
	,makes)			
50.	Providing and fixing Stainless steel jail of approved	1.00	Each	
	quality and color. Circular type.125mm nominal dia .			
51.	Providing and fixing C.P. brass hand faucet	1.00	Nos	
	complete as required with one meter flexible tube			
	and wall hook (sleek quality of jaquar)			
	Providing and fixing C.P. brass soap dish of	1.00	Nos	
	standard size as required. Jaquar make			
	Providing and fixing C.P. brass soap dispenser of	1.00	Nos	
	jaquar			
	Providing and fixing the stainless steel handle with	3.00	Each	
	lock and latch complete set of dorset make on	0.00		
	existing wooden doors			
	Providing and fixing the stainless steel door stopper	03	Each	
	(Twin blade) on existing wooden door complete as	00	Lacii	
	required			
	Providing and fixing the C.P. brass wash basin	01	Each	
	mixer of jaquar quality .	01	Laon	
	Repair of existing wooden table of size 3'x2'x3'	01	Each	
	including pasting 1mm thick laminate (high gloss)	01	Lacii	
	colour and make complete on all exposed surfaces			
	of table including providing and fixing the handles			
	etc, as required including necessary panting and			
	polishing work.			
	Providing vision panel on existing doors not	8.00	Sqm	
	exceeding 0.1 sqm in all type of flush doors/wooden	0.00	Sqiii	
	door (glass of 5mm thick ) (overall area of door			
	shutter to be measured): Rectangular or square			
	Providing and fixing 15 mm thick densified tegular	30.00	Sqm	
	edged eco friendly light weight calcium silicate false	30.00	Sqiii	
	ceiling tiles of approved texture pin headed of size			
	600x600 on the existing wooden frame work on wall			
	complete with all necessary labor and material as			
	required	04	lah	
	Modification of the existing window of size 4'x3'	01	Job	
	which is made out of teak wood frame of size			
	8"x2.5" into required size of 6'x3' including providing			
	and fixing the 6mm thick sliding glass on wooden			
	beading and frame of size 2"x1" complete with			
	making the opening in brick work complete as			
	required.	70.00	0 - "	<del>                                     </del>
	Providing, making & fabricating the wooden	70.00	Sqft	
	cupboard of approximate size 10'x7'x2' which is			
	made out of 19 mm thick commercial board with			
				1
	6mm thick commercial ply on back. The cupboard			
	6mm thick commercial ply on back. The cupboard having 9 box with middle partition on each box and			
	6mm thick commercial ply on back. The cupboard having 9 box with middle partition on each box and the each box having two shutters complete with			
	6mm thick commercial ply on back. The cupboard having 9 box with middle partition on each box and the each box having two shutters complete with pasted 1mm thick laminate of approved colour and			
	6mm thick commercial ply on back. The cupboard having 9 box with middle partition on each box and the each box having two shutters complete with			

	handles, lock, magmatic capture etc. with necessary polishing and panting work complete as required.			
62.	Providing, making & fabricating the wooden cupboard of approximate size 14'x2.5'x2' deep and of required size which is made out of 19 mm thick commercial board with 6mm thick commercial ply on back. The cupboard having shutters with horizontal and vertical partitions complete with pasted 1mm thick laminate of approved colour and make on all exposed surface including providing and fixing the necessary hardware like hinges, handles, lock, magmatic capture etc. with necessary polishing and panting work complete as required.	115.00	Sqft	
63.	Providing and fixing the wooden blinds of approved color and make. The horizontal blinds having the wooden strips of size 50mm x 4mm or as per manufacturer specifications with suitable wooden section in the ceiling for suspending the blinds. with required hook on top, both side complete as required.	150.00	Sqft	
64.	Providing, making and fabricating the wooden wall hanging unite of approx. size 6'x2'x1' which is made out of 19 mm thick commercial board with 6mm thick back play. The wooden unite having the provision of glass sliding shatters of 4mm thick plane glass complete with pasted 1mm thick laminate of approved colour and make on exposed surface complete with all necessary hardware lick wheel/rado, aluminium channel etc. as required.	12.00	Sqft	
65.	Providing and fixing the PVC cabinet over the washbasin. The cabinet having the looking mirror and necessary storage space inside as required of make cipla/equivalent	01	Each	
66.	Dismantling the steel windows and ventilators by cutting the windows shutters and frame by welding machine complete as required including staking the material in maintenance store	06	Each	

#### ANNEXURE-'B'

## List of approved make for Electrical, PA System and Air-Conditioning works

### **Specification of material**

S. No.	Particulars	Make
1.	PVC Insulated Copper Conductor cable	Havell's /Polycab/Finolex
2.	Aluminium Armoured Cable	Havell's / Polycab/Nicco
3.	AC Box	ABB/MDS/ Hager
4.	MCB/Isolator	ABB/ MDS/ Hager
5.	Distribution Box	ABB/ MDS/Hager
6.	PVC conduits/ casing caping	Setia/Plasoduct/AKG
8.	LED Lights	Crompton Greaves /Philips/ Havells
9.	Exhaust Fan /Wall Fan	Crompton Greaves / Havells
10.	Cat-6 Data cable	AMP/D-Link/
11.	Split type Air-conditioner / Cassette type indoor unit.	Diakin /Hitachi /Mitsubishi
12.	Voltage stabilizer	Blue bird/Logic stat
13.	10Amp/20Amp modular light and power plug	Anchor Roma/North West /MK
14.	PA System complete with amplifier, microphone, speakers etc.	Sennheiser /AKG/Bosch/Apart
15.	LCD Projector	Sony/Epson

# Electrical, Air-conditioning, Multimedia works for the Renovation of Conference Hall, Board Room, and Dean Office at F/O Science:

#### PART -A

S. No.	Particulars	Quantity (Neg /Prot.)	Rates	Amount
		(Nos./Rmt.)	( <b>Rs.</b> )	(Rs.)
1.	Wiring for light point/ fan point/ exhaust fan point/ call	79		
	bell point with 1.5 sq.mm FRLS PVC insulated copper			
	conductor single core cable in surface / recessed			
	PVC conduit, with modular switch, modular plate,			
	suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single			
	core cable etc as required.			
2.	Supplying and fixing suitable size GI box with	23		
۷.	modular plate and cover in front, on surface or in	23		
	recess, including providing and fixing 3 pin 5/6 amps			
	modular socket outlet and 5/6 amps modular switch,			
	connection etc. as required. (For light plugs to be			
	used in non residential buildings).			
3.	Supplying and fixing suitable size GI box with	14		
	modular plate and cover in front on surface or in			
	recess, including providing and fixing 6 pin 5/6 &			
	15/16 amps modular socket outlet and 15/16 amps			
	modular switch, connection etc. as required.			
4.	Providing and fixing wall fan of 16" size complete	11		
	connection testing & commissioning etc as required (.			
5.	S/fixing of metal clad AC Box with metal top and	07		
	accessories along with one 32Amp, MCB single			
	pole complete with connection testing &			
	commissioning etc as required.			
6.	Supply and installation of recess mounted 12	44		
	watts LED round down lighters with connection,			
	testing & commissioning etc. as required. (CAT			
	Ref: LCDD-12-CDL/TL/WW) of CG make or			
	equivalent as per list of approved makes.			
7.	Supply and installation of recess mounted 36	21		
	watts LED energy saving recess laminar			
	suitable for 600mmX600mm modular			
	/POP/Gypsum ceiling with connection, testing &			
	commissioning etc. as required. (CAT Ref:			
	LCTLR-36-FO-CDL) of CG make or equivalent			
	as per list of approved makes.			
8.	S&F 12" exhaust fan with louvers complete	01	+	
0.	connection testing and commissioning etc as	01		
	required.			

9.	Wiring for circuit/ sub-main wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed PVC conduit as required  A. 2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth  B. 2 X 4 sq. mm + 1 X 4 sq. mm earth  C. 2 X 6 sq. mm + 1 X 6 sq. mm earth	300 Rmt. 180Rmt. 150Rmt.	
10.	Supplying and fixing of following sizes of PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.		
	20 mm 25 mm 32 mm	50Rmt. 80Rmt. 10Rmt.	
11.	Supplying and drawing CAT-6 data cable in suitable PVC conduit.	150Rmt.	
12.	Supplying and fixing RJ-45 data cable jack (IO) with box complete in all respect as per requirement.	08Nos.	
13.	Supplying and fixing of following way surface/ recessed, 415 volts, TPN MCB distribution board of sheet steel, dust protected, duly powder painted, inclusive of, common neutral link, earth bar, din bar for Mounting MCB's (but without MCB's and incomer) as required. A. 4 way (4 + 12), Double door		
		01No.	
14.	S/F of following amps single pole MCB in the existing MCB distribution board complete connection testing and commissioning etc as required.  A. 6-32Amp Single Pole MCB	12Nos 01No	
	B. 63Amp TPN MCB	OTNO	
15.	Supply and laying of 3 ½ X 35sqmm aluminum	50Rmt.	
	armored cable PVC Insulated & PVC sheathed		
	1.1kv grade with saddle on surface.		
16.	End termination of 3 ½ X 35sqmm aluminum armored cable with thimble and glan, complete	02	

tioning works  Supply Installation testing and Commissioning of split air-conditioning unit having cassette type indoor unit with four way flow and outdoor unit with 3 star			
Supply Installation testing and Commissioning of split air-conditioning unit having cassette type indoor unit with four way flow and outdoor unit with 3 star			
Supply Installation testing and Commissioning of split air-conditioning unit having cassette type indoor unit with four way flow and outdoor unit with 3 star			
air-conditioning unit having cassette type indoor unit with four way flow and outdoor unit with 3 star			
rating.			
(a) 2.2TR Capacity, Diakin FCNQ26 or equivalent as per approved list.	5Nos.		
Supply and Installation of following size soft Copper pipes with insulation of 9mm thick nitrile rubber including electrical power cables from indoor unit to outdoor unit as required.  (a) For 2.2 TR Cassette unit 5/8" & 3/8"	60Rmt.		
Supply and Fixing of PVC drain piping with 6mm thick nitrile rubber insulation of following sizes.  (a) 25mm Dia (b) 40mm Dia	60Rmt. 25Rmt.		
Fabrication and Installation of M.S Angle Iron frame for outdoor units complete with 1 coat of metal primer and two coats of synthetic enamel paint.	5Nos.		
Supply and installation of following capacity automatic voltage stabilizer having over current and under voltage protection (input voltage is 230 volt + /- 10% AC 50 C/S.  A- 5KVA voltage stabilizer	05Nos.		
	Supply and Installation of following size soft Copper pipes with insulation of 9mm thick nitrile rubber including electrical power cables from indoor unit to outdoor unit as required.  (a) For 2.2 TR Cassette unit 5/8" & 3/8"  Supply and Fixing of PVC drain piping with 6mm thick nitrile rubber insulation of following sizes.  (a) 25mm Dia  (b) 40mm Dia  Fabrication and Installation of M.S Angle Iron frame for outdoor units complete with 1 coat of metal primer and two coats of synthetic enamel paint.  Supply and installation of following capacity automatic voltage stabilizer having over current and under voltage protection (input voltage is 230 volt + /- 10% AC 50 C/S.	Supply and Installation of following size soft Copper pipes with insulation of 9mm thick nitrile rubber including electrical power cables from indoor unit to outdoor unit as required.  (a) For 2.2 TR Cassette unit 5/8" & 3/8"  Supply and Fixing of PVC drain piping with 6mm thick nitrile rubber insulation of following sizes.  (a) 25mm Dia  (b) 40mm Dia  60Rmt.  5Nos.  Fabrication and Installation of M.S Angle Iron frame for outdoor units complete with 1 coat of metal primer and two coats of synthetic enamel paint.  Supply and installation of following capacity automatic voltage stabilizer having over current and under voltage protection (input voltage is 230 volt + /- 10% AC 50 C/S.	Supply and Installation of following size soft Copper pipes with insulation of 9mm thick nitrile rubber including electrical power cables from indoor unit to outdoor unit as required.  (a) For 2.2 TR Cassette unit 5/8" & 3/8"  Supply and Fixing of PVC drain piping with 6mm thick nitrile rubber insulation of following sizes.  (a) 25mm Dia (b) 40mm Dia  60Rmt.  25Rmt.  Fabrication and Installation of M.S Angle Iron frame for outdoor units complete with 1 coat of metal primer and two coats of synthetic enamel paint.  Supply and installation of following capacity automatic voltage stabilizer having over current and under voltage protection (input voltage is 230 volt + /- 10% AC 50 C/S.

## PART-C

## Public address and multimedia system

	Tech			
S.N.	Description	<b>Technical specification</b>	Qty.	Amount

1	Boundary Layer Microphone Make: Sennheiser Model: MEB 114 S	On table boundary layer microphone should have following specification: Frequency response: 40 Hz – 20 kHz or better Max. sound pressure level: 140 dB or more Transducer principle: pre-polarized condenser microphone Pick-up pattern: 31ardioids Acoustics: boundary layer microphone LED light ring: red / green Microphone modes: Toggle on/off Push to mute & Push to talk	1	
2	Wireless vocal set (Handheld) Make: Sennheiser Model: XSW 35	Wireless handheld microphone set should have following specification: Presets: 12 Signal-to-noise ratio: > 103 dB(A) or better Diversity reception: True Diversity Transmitter: Frequency response (microphone): 8016000 Hz or better Sound pressure level (SPL): 149 dB or more Pick-up pattern: 31ardioids Operating time approx. 10 h or more	1	
3	Wireless lapel set (Handheld) Make: Sennheiser Model: XSW 12	Wireless lapel microphone set should have following specification: Presets: 12 Signal-to-noise ratio: > 103 dB(A) or better Diversity reception: True Diversity Transmitter: Frequency response (microphone): 10016000 Hz or better Sound pressure level (SPL): 142 dB or more Pick-up pattern: Omni-directional Operating time approx. 10 h or more	1	
4	Podium gooseneck microphone set with sock mount Make: Sennheiser Model: MEG1440	Gooseneck microphone set should have following specification: Connector: XLR 3m/XLR 5m. Dimension: 450MM Transmitter: Frequency response (microphone): 50Hz – 20Khz Sound pressure level: 130 dB SPL Pick-up pattern: cardioids	1	
4	Two-way Wall Mount speakers Make: Apart Model: MASK4T	Two way wall mount speaker should have following specification: Woofer size: 4.25 inch or more Tweeter size: 1 inch or more 100V transformer power taps: 20 – 10 – 5 – 2.5 watts or more Low impedance dynamic power: 70 watts or more Main construction material: ABS plastic Vertical dispersion angle 1000 Hz: 180° or more Horizontal dispersion angle 1000 Hz: 180° or more Max SPL 1m: 104 dB or more Frequency response: 80 – 20K Hz or better Grille main material aluminum	6	

	,	1	Ī	1
5	Power Amplifier  Make: Apart  Model: Concept1T	2-zone 100 volt integrated mixing amplifier output power RMS 100 volts 2 x 60 watts or more cooling system convection RS232 (serial communication port) line input unbalanced 4 or more 1	1	
6	Sound Craft epm6  Make: Sound craft  Model: EMP6	Frame sizes 6+2, 8+2 and 12+2 XLR-type and ¼" metal jack connector sockets 3-band EQ with a swept mid on mono inputs 2 configurable auxiliary buses	1	
7	Rack 19" 9U Along with all standard accessories Make: MTS Model: 9U	Rack 9U for housing products consisting of the following specifications:- Castor with Break (set of 4 pcs) 1U Cantilever Tray Fan 90 CFM 23 VAC Power Distribution unit 6 points 5 AMP R/P 1U Blank Panel MS 1U Vent Plates Mounting Hardware (Pkt of 5 Pcs.)	1	
8	3000 lumen XGA Projector Make: Epson Model:X29	3000 lumens XGA projector should have following specification:  Lumens 3000 or more Resolution XGA or better Input connectivity:VGAx2, HDMIx1,Audio 3.5mmX2  Technology: LCD Size: 0.55" with MLA (D8) Lense: Optical Zoom (Manual) / Focus (Manual)  Zoom Ratio: 1 – 1.2  Throw Ratio: 1.48 – 1.77 (Wide – Tele)  Lamp: Life (Normal/Eco): 5,000 hours / 10,000 hours  Type: 200W UHE	1	
9	84" motorized screen  Make: AV Space  Model: 8443	Motorized Screen should have following specifications: 84" Motorized screen with remote control Aspect ratio 4:3	1	
10	Cable & Connectors  Make: Falcon/TS/PAC	Cable & Connectors All	1	

	Model: MX/TS			
11	Installation & Programming	Implementation services includes – Design, Engineering, Labour, Installation, Testing and commissioning and training to users at the site to set the systems up and operate the same. And Programming for Audio and Control	1Job	