



# JAMIA HAMDARD

(Govt. Aided Deemed to be University)

(Tender No.: JH/PS/Tender-47/RC/Jan-26)

## PROFORMA FOR QUOTATION

### Group-‘C’- Detail of UPS, Printers, LCD Projector, Stabilizers and Consumable for UPS, Printers & Photocopier

Sl. No.	Item	Specification	VAT	Quoted Price	Authorised (Yes/No)
	<b>Stabilizers</b>	0.25 KVA – Input Range 160 to 260V			
		0.50 KVA – Input Range 160 to 260V			
		1.00 KVA – Input Range 160 to 260V			
		2.00 KVA – Input Range 160 to 260V			
		3.00 KVA – Input Range 160 to 260V			
		4.00 KVA – Input Range 160-260V			
		5.00 KVA – Input Range 160-260V			
	<b>UPS (Line Interactive)</b>	600 VA with SMF Batteries for 10 Min. Backup			
		0.65 KVA with SMF Batteries for 30 Min. Backup			
		1.0 KVA with SMF Batteries for 30 Min. Backup			
		2.0 KVA with SMF Batteries for 30 Min. Backup			
		3.0 KVA with SMF Batteries for 30 Min. Backup			
		5.0 KVA with SMF Batteries for 30 Min. Backup			
	<b>Online UPS</b>	1.0 KVA with SMF Batteries for 30 Min. / 1 Hr. Backup (Single I/P & Single Phase O/P)			
		2.0 KVA with SMF Batteries for 30 Min. / 1 Hr. Backup (Single I/P & Single Phase O/P)			
		3.0 KVA with SMF Batteries for 30 Min. / 1 Hr. Backup (Single I/P & Single Phase O/P)			
		5.0 KVA with SMF Batteries for 30 Min. / 1 Hr. Backup (Single I/P & Single Phase O/P)			
		10KVA with SMF Batteries for 30 Min. / 1 Hr. Backup (Single I/P & Single Phase O/P)			
	<b>Consumable for UPS (SMF Batteries)</b>	12 V 100 AH			
		12V 17 AH			
		12V 26 AH			
		12V 42 AH			
		12V 65 AH			
		12V 7 AH			
		500 VA			
		625 VA			
		600VA			
	<b>Consumable for Printers (Cartridge &amp; Ribbon etc.)</b>	HP LJ 1000			
		HP LJ 1020			
		HP P1007			
		HP LJ 1505			
		HP DJ D2668			

Sl. No.	Item	Specification	VAT	Quoted Price	Authorised (Yes/No)
		HP LJ 6L			
		Samsung 1710 LJ			
		HP 930 C			
		Samsung ML-1210			
		HP 1018 LJ			
		HP 3820			
		HP 1015			
		HP 5550 DJ			
		Cannon LBP 2900B			
		HP 6L PRO LJ			
		HP CP 1215			
		HP 3325			
		HP 1100 LJ			
		HP 1320 LJ			
		HP 1150 LJ			
		HP 640 DJ			
		HP 2550 CLJ			
		HP 1005 LJ			
		HP 3940			
		HP F2120			
		HP F4488 PSC			
		HP 2300 D			
		HP 3550			
		HP 4248 F			
		HP 670 C			
		HP 656 C			
		DJ 200CCi			
		HP D2568			
		HP 2820 CLJ			
		Samsung ML-1640			
		HP 1160 LJ			
		HP DJ574P			
		Samsung CLP-310N			
		HP DJ 840C			
		HP LJ 1020 plus			
		HP DJ 5652			
		HP 5500			
		LIPI-6306 Line Printer			
		Panasonic P1121			
		Argox Barcode			
		HP ALL IN ONE			
		HP LJ 1125 C			
		HP LJ 4 MV			
		HP2010			
		HP 4288 LJ			
		HP LJ 1160			
		HP 1100 LJ			
		HP 1320			
		HP 1150			
		HP 2550 B/C			
		HP F 2120 B/C			
		HP 2300			
		HP 656 C			

Sl. No.	Item	Specification	VAT	Quoted Price	Authorised (Yes/No)
	<b>Printers Laser Jet</b>	HP laser Jet 128 FN			
		HP LJ 126 NW			
		HP LJ 138 FNW			
		HP MFP M1005			
		HP colour LJ 183 FW			
		HP LJ MFP 355 S DNW			
		HP LJ 126 A			
		HP LJ 136A			
		HP MFP M 1136			
		HP LJ 1020+			
	<b>LCD Projector</b>	<b>2500 lumens</b>			
		Brightness-	Min. 2500 Lumens		
		Resolution	Min. XGA (1024x768 pixels		
		Contrast ratio	Min.2500:1		
		Interface	Min. 1 no.RGB Mini D-sub 15-Sub 15-pin,1 no HDMI,1no composite vedio and 1 no.stereo mini jack		
		Zoom Lens	Both optical and digital zoom		
	<b>LCD Projector</b>	<b>3000 lumens</b>			
		Brightness	min 3000 lumens		
		Resolution	XGA, 1 024 x 768, 4:3		
		Contrast Ratio	15,000 : 1		
		Interface	VGA in, HDMI in, USB 2.0 Type B		
		Zoom Lens	Digital, Factor: 1.35		
		Throw Ratio	1.44 - 1.95:1		
	<b>LCD Projector</b>	<b>3500 lumens</b>			
		Brightness	min 3500 lumens		
		Resolution	Full HD 1080p, 1920 x 1080, 16:9		
		Contrast Ratio	16,000 : 1		
		Interface	USB 2.0 Type A, USB 2.0 Type B, Wireless LAN 802.11 b/g/n built-in, VGA in, HDMI in (2x), Composite in		
		Zoom Lens	Manual, Factor: 1.2		
		Throw Ratio	1.22 - 1.47:1		
	<b>LCD Projector</b>	<b>3500 lumens ultra short throw projection</b>			
		Brightness	min 3500 lumens		
		Resolution	Full HD 1080p, 1920 x 1080, 16:9		
		Contrast Ratio	16,000 : 1		

Sl. No.	Item	Specification	VAT	Quoted Price	Authorised (Yes/No)
		Interface			
		USB 2.0 Type A, USB 2.0 Type B, Wireless LAN 802.11 b/g/n built-in, VGA in, HDMI in (2x), Composite in			
		Zoom Lens			
		Manual, Factor: 1.2			
		Throw Ratio			
		1.22 - 1.47:1			
	<b>LCD Projector</b>	<b>4000 lumens</b>			
		Brightness			
		min 4000 lumens			
		Resolution			
		WXGA			
		Contrast Ratio			
		16,000 : 1			
		Interface			
		VGA in, HDMI in, USB 2.0 Type B			
		Zoom Lens			
		Optical Zoom (Manual) / Focus (Manual)			
		Throw Ratio			
		1.38 - 2.24			
	<b>LCD Projector</b>	<b>5000 lumens</b>			
		Brightness			
		min 5000 lumens			
		Resolution			
		WUXGA			
		Contrast Ratio			
		2,500,000 : 1			
		Interface			
		USB 2.0 Type A, USB 2.0 Type B, Wireless LAN 802.11 b/g/n built-in, VGA in, HDMI in (2x), Composite in			
		Zoom Lens			
		Optical Zoom (Manual) / Focus (Manual)			
		Throw Ratio			
		1.35 - 2.20			
	<b>LCD Projector</b>	<b>5000 lumens ultra short throw projection</b>			
		Brightness			
		min 5000 lumens			
		Resolution			
		1080p (1366 x 768 x 2)*			
		Contrast Ratio			
		2,500,000 : 1			
		Interface			
		USB 2.0 Type A, USB 2.0 Type B, Wireless LAN 802.11 b/g/n built-in, VGA in, HDMI in (2x), Composite in			
		Zoom Lens			
		Focus (Manual)			
		Throw Ratio			
		0.27 - 0.37			
	<b>LCD Projector</b>	<b>6000 lumens</b>			
		Brightness			
		min 6000 lumens			
		Resolution			
		WUXGA			
		Contrast Ratio			
		2,500,000 : 1			

Sl. No.	Item	Specification	VAT	Quoted Price	Authorised (Yes/No)
		Interface			
		USB 2.0 Type A, USB 2.0 Type B, Wireless LAN 802.11 b/g/n built-in, VGA in, HDMI in (2x), Composite in			
		Zoom Lens			
		Optical Zoom (Manual) / Focus (Manual)			
		Throw Ratio			
		1.35 - 2.20			
	<b>LCD Projector</b>	<b>7000 lumens</b>			
		Brightness			
		min 7000 lumens			
		Resolution			
		WUXGA(4K enhancement)			
		Contrast Ratio			
		2,500,000 : 1			
		Interface			
		USB 2.0 Type A, USB 2.0 Type B, Wireless LAN 802.11 b/g/n built-in, VGA in, HDMI in (2x), Composite in			
		Zoom Lens			
		Optical Zoom (Manual) / Focus (Manual)			
		Throw Ratio			
		1.35 - 2.20			
	<b>Projection Screen</b>				
		6x4 ft Manual Projection Screen In 4:03 format, Ultra HD/4k Technology, Imported Matte white fabric in 1.1 gain, for excellent picture Quality. In Auto-lock Mechanism, 4K Ultra HD, Active 3D, and HDR Ready			
		8x6 ft manual projection screen In 4:03 format, Ultra HD/4k Technology, Imported Matte white fabric in 1.1 gain, for excellent picture Quality. In Auto-lock Mechanism, 4K Ultra HD, Active 3D, and HDR Ready			
		6x4ft automatic remote controlled screen In 16:10 Aspect format, UltraHD/4K tech Support, Matte white projection fabric material In 1.2 gain, Operating system: Radio frequency remote & receiver			

Sl. No.	Item	Specification	VAT	Quoted Price	Authorised (Yes/No)
		8x4ft automatic remote controlled screen In 16:10 Aspect format, UltraHD/4K tech Support,Matte white projection fabric material In 1.2 gain,Operating system: Radio frequency remote & receiver			
	<b>Accessories for projection Screen</b>	Ceiling mount kit round shaped steel made 2 ft			
		Ceiling mounting kit round shaped steel made 3 ft			
		VGA Cable 15 mtr			
		VGA Cable 20 mtr			
		Power cable 15 mtr			
		Power cable 20 mtr			
		PVC conduit pipe 10 mtr			
		PVC conduit pipe 15 mtr			
		HDMI cable 15 mtr			
		HDMI cable 20 mtr			
		LAN cable 15 mtr			
		LAN cable 20 mtr			
		Installation of projector			
	<b>Consumable for Photocopier (Cartridge &amp; Drum etc.)</b>	Xerox Copier (all model)			
		Canon Copier (all model)			
		Richo Copier (all Model)			
		Kyocera Mita Digital copier (all model)			

Signature : .....

Name : .....

Company Seal : .....