

TENDER DOCUMENTS

FOR

**REPAIR AND PAINTING WORK OF EXISTING PORTA CABINS AT
SCHOOL OF PHARMACUETICAL EDUCATION AND RESEARCH
(SPER)**



**JAMIA HAMDARD
HAMDARD NAGAR, NEW DELHI-62**

JAMIA HAMDARD

HAMDARD NAGAR, NEW DELHI-110062

NOTICE INVITING TENDER

NIT No. JH/E&M/EE/1892/01

Date: 26.08.2025

Jamia Hamdard invites sealed items rate Tenders in two bids system (Technical & Financial) from registered contractors at Govt./Semi Govt./State Govt. Departments/Higher Educational Institutions or working agencies at Jamia Hamdard for the below mentioned work. The Tender documents and other details are available on the website: www.jamiahamdard.ac.in. Last date of submission of the Tender is **11.09.2025** upto 3.00 PM.

The bidders are also advised to visit site to satisfy themselves before submitting the bids. Bidders not fulfilling the eligibility criteria may be rejected.

NAME OF WORK: **Repair and painting work of existing Porta Cabins at SPER.**

ESTIMATED COST: Rs. 7,95,704.00

EARNEST MONEY: Rs. 16,000.00

TENDER COST: Rs. 500 only (Non Refundable)

TIME PERIOD: 45 days.

PRE-BID MEETING: 04.09.2025 at 11:00 AM in the office of the Executive Engineer

The Tender duly filled should be dropped in the Tender Box kept in Purchase Section, Admin Block on or before 11.09.2025 upto 3.00 PM along with Demand Draft of Earnest money & Tender fee in sealed envelope clearly **specifying the name of work**. The DDs shall be made in favour of "JamiaHamdard" payable at New Delhi. The Tender will be opened on same day at 3.30 PM by the tender opening committee in the presence of available interested parties in the Office of the Executive Engineer and the Financial bid of the eligible parties will be opened after due information to eligible parties.

In case the required procedure is not followed, the tender can be rejected. Jamia Hamdard reserves the right to reject any or all tenders or split the tenders without assigning any reason whatsoever.

Registrar

Copy to:

1. System Analyst, Computer Center, to kindly upload the NIT with tender documents on the University's website.
2. PA to Finance Officer for kind information
3. Executive Engineer for kind information
4. Concerned AE (Civil) for necessary action

(1) **SCOPE OF WORK**

Repair and painting work of existing Porta Cabins at SPER with the following components of works:

- RCC Work
- Brick Work
- Flush doors
- Steel work
- Kota Stone slab
- False Ceiling
- Plaster Work
- Whitewashing & painting work
- Roller Blinds
- Sandwich Panel

(2) **ELIGIBILITY CRITERIA**

- Contractors should have executed similar nature of works of at least one contract of 80% value of estimated cost or two contracts of 60% value of estimated cost or three contracts 40% value of estimated cost in the last 3 years in any Govt./Semi Govt./State Govt. Departments/Institutional Buildings, Universities and produce credentials in support thereof.
- The firm should have average annual financial turnover of at least Rs. 5.00 Lakhs during the preceding last 03 consecutive financial years. Turnover Certificate must be verified by the Chartered Account with a valid UDI number. If certificate not available, Copies of the audited balance sheet (duly verified by Chartered Account with a valid UDI no.) of the vendor/bidder for the last three financial years may be attached.
- The Bidders must have G.S.T & PAN No., and should attach ESI, EPFO registrations, if applicable.

Note: - Tenders shall also be liable for rejection on any of the following grounds:

- a) Tenders submitted late.
- b) Tenders containing remarks uncalled for.
- c) Conditional tenders
- d) Tenders not submitted on prescribed Performa.
- e) Telegraphic tenders.
- f) Tender submitted without E.M.D. and Cost of tender document.

(3) **SUBMISSION OF BIDS**

Submission of Tender: Tenders should be submitted in two Parts i.e. “Technical bid” (Part-A) and “Price bid” (Part-B) in two separate sealed envelopes. Both the parts should be further put in a single sealed envelope super-scribing NIT No. & name of work, due date for opening, bidder’s name & address. The tender duly filled should be dropped in the tender box kept in the Purchase Section. It should not be handed over to any employee of the Jamia Hamdard. No tender shall be accepted later than the time schedule specified above. Any clarifications/amendments/corrigenda etc., to NIT before last date

of submission of bid will only be available on our website: www.jamiahamdard.ac.in. Therefore bidders are advised to keep visiting our website.

Technical Bid (Part-A):

In this bid, the bidder shall submit the following:

- a. Covering letter on Company's Letter head
- b. Bio data of company (Company profile, organizational setup, credentials, list of plant, machinery & tools in his possession).
- c. D.D.s of Tender Fee & Earnest Money Deposit.
- d. Copies of GST no., PAN, ESI, EPFO Registration etc., if applicable
- e. Company's financial performance documents (Turnover Certificate, Audited balance sheet, and profit and loss statement)
- f. Copies of work orders for similar nature of works of at least one contract of 80% value of estimated cost of works or two contracts of similar nature of works of 60% value of estimated cost of works or three contracts of similar natures of works of 40% value of estimated cost of works in the last 3 years.
- g. Entire NIT (except Price bid) duly signed & stamped by the bidder.
- h. Experience of having successfully completed works during the last 03 years ending last day of the month previous to the one in which applications are invited.

Note

1. Completion certificate submitted should be issued by an officer not below the rank of the Executive Engineer.
2. All documents submitted by the bidder should be self-attested along with stamp

Price Bid (Part-B):

- i. BOQ is cited on **Annexure "X"**

In this bid, the related works' bidders are required to quote its item rates in the above said attached BOQ in accordance with the scope of works, terms & conditions & technical specifications enclosed. The rates/price quoted by contractor should be all inclusive i.e. should include all material cost, labour, services, plant/machinery/tools & tackles, ladders & scaffolding required for work, freight, Insurance, Octroi, Govt. duties & levies, GST, Service Tax, Sales Tax etc.), transport/cartage of materials/labour and all other expenses not specifically mentioned but reasonably implied. Nothing over and above these rates shall be payable to contractor. Further nothing extra in rates will be considered for any variations in tender quantities or due to any site difficulties. It is mandatory for bidder to quote all items rate as asked for in the BOQ/ PRICE schedule. Failure in not filling some item rates will lead to rejection of tender. **The bidder should quote unconditional rates & in computerized typed format. All pages should be duly signed & stamped, in case proper process is not followed the tender will be liable for rejection.**

(4). GENERAL TERMS & CONDITIONS

- I. **Earnest Money:** An earnest money of **Rs. 16,000.00** have to be enclosed along with the Technical bid (Part-A). The EMD shall only be in the form of Demand Draft in favour of Jamia Hamdard, New Delhi. No Cheques/Cash shall be accepted as EMD. The refund of EMD to the technically disqualified bidders shall be made after opening of price bid. The EMD of the successful lowest bidder (L1) shall be held back and will be released after completion of the works and site clearance.
- II. **Validity of Tender:** Tender shall be valid for our acceptance without any change in rates and NIT conditions for a period of 90 days from the date of opening of price bid.
- III. **Escalation:** No escalation over and above items rates quoted by the bidder shall be paid during the execution of contract.
- IV. **Completion time:** The time shall be the essence of this contract and entire work as titled above is to be completed in all respects within a period of 45 days from 2nd day of the date of issue of work order. Any delay in completing the work for reasons attributable to the Contractor is liable for liquidated damages as per clause XVII of NIT. The contractor shall not be entitle to any compensation for any loss suffered by hindrance on account of delay in commencing or executing the work, whatever the cause for such delays may be including delays in procuring Government controlled or other materials. Under the force-majeure conditions or delay due to reasons beyond control of the contractor, Jamia Hamdard may grant suitable time extension without penalty for which the contractor has to request along with the justification/ reasons well in advance to Jamia Hamdard for approval without any prejudice to price escalation. No time extension request shall be considered after the expiry of completion period/contract. The decision of Executive Engineer regarding Time extension will be final and binding on the contractor.
- V. The rates shall be inclusive of all taxes (Service Tax, GST etc.) duties and cartage etc. Jamia Hamdard welfare Relief Fund will be deducted @ 0.25% of the amount of total bill claimed.
- VI. **Deviations:** No deviation from the stipulated terms and conditions will be allowed. Tender will be unconditional.
- VII. **Site Conditions:** Contractor shall acquaint himself fully with the site conditions and the working environment of Jamia Hamdard before quoting his rates. No Compensation on account of any site difficulties will be entertained, at a later date, after award of the work. Site will be handed over as it is where it is and nothing extra shall be paid for clearing and disposal of Rubbish & Malba.
- VIII. Before tendering, the Contractor shall visit and examine the site and satisfy himself as to the site conditions, the correct dimensions of the work and facilities. The rates of different items are for all heights, depth, curvature and width unless otherwise specified against the item. In case of any doubt, may be clarified from the office of the Assistant Engineer (Civil).

IX. Water & Electricity :

Electricity: Temporary Electric Connection if required will be supplied by the Jamia Hamdard. The necessary cabling and metering etc. will be done by the contractor at his own cost. The vendor will have to pay for the consumption at the prevailing rates of charges as per bills of Jamia Hamdard.

Water: Contractor shall make their own arrangement of potable water for execution of work and drinking of labours from outside at their own cost. The Contractor will ensure by Laboratory test that water is fit for construction and drinking purpose, if required.

- X. **Correspondence:** All the correspondence in respect of tender/award of work shall be made to the Executive Engineer.
- XI. The Contractor shall not be allowed to possess any space or rooms inside the building.
- XII. No work shall be done at night (8 PM to 9 AM) or as decided mutually and on National Holidays without the instruction in written of Jamia Hamdard.
- XIII. **Terms of Payment:** The payment shall be made on submission of the bills in proper format by the contractor after due certification by the engineer responsible for supervision of the work. Contractor can submit one interim or running bill and one final bill after completion of work for claiming payment based on actual quantities of items of work executed as per BOQ and Engineer's instructions. 05 % deductions will be made towards the security deposit from each running bill. The security deposit shall only be refunded as per the clause XIX.
- XIV. **Labour Laws:** The contractor will abide by all the rules and regulations related to labour laws, accident, workmen compensation act, workmen insurance etc. This will be the sole responsibility of the contractor. Jamia Hamdard will not be a party at any stage in any of the disputes relating to the above. In case, Jamia Hamdard has to bear any expenditure due to non-conformance of the above provisions by the contractor, the same will be recovered from contractor's bills.
- XV. **Work not to be sublet:** If the Contractor shall assign or sublet this contractor, or attempt so to do, or become insolvent or commence any insolvency proceeding of, if any bribe, gift, loan, given promised or offered by the Contractor to any person in the employ of Employer, then Jamia Hamdard shall have power to termination of contract.
- XVI. **Rules governing the Contractor's employees working in the Jamia Hamdard Premises:** The contractor's employees working inside the Jamia Hamdard campus will abide by the Centre's rules & regulations for works inside the campus. Any damage to the Jamia Hamdard property due to mishandling, carelessness on the contractor's or his workmen's part will be recoverable from the contractor's bills.

- XVII. **Liquidated damages:** In case the work is delayed beyond the specified completion period for reasons attributable to the contractor, deductions on account of Liquidated damages @0.5% of the contract value per week will be deducted subject to a maximum of 5% of the contract value. However, during the delayed period, Jamia Hamdard also reserves the right to get some portion of work done by any other contractor at the risk and cost of the existing contractor and amount to that effect along with 10% overhead charges will be deductible from his bills/dues.
- XVIII. **Extra or substituted item:** If any extra or substituted item appears in the work, contractor shall submit its rate analysis supported with documents which shall be approved by Engineering Department. Analysis of rates will be based on DSR document of CPWD or based on market rates for determining item rate and pay to contractor accordingly.
- XIX. **Defect Liability period:** Defect liability period shall be one (01) year from the date of completion of work. Any defect arising in this period will be rectified by the contractor at his own cost. Failure to do so, shall lead to forfeiture of security deposit.
- XX. **Security Deposit:** A security deposit equal to 5% of the value of work will be deducted from Contractor's bills.
- XXI. **Release of Security Deposit:** after the completion of the Defect liability period of one year, as per clause XIX, subject to satisfactorily rectification of all defects.
- XXII. Contractor should depute a qualified supervisor dedicated for this work, who will monitor and coordinate the works from contractor's side and interact with the Jamia Hamdard Engineers, responsible for supervision of work, on regular basis.
- XXIII. Contractor will take due permission for entry of all his workmen in Jamia Hamdard. No unauthorized person will be allowed to work inside.
- XXIV. The contractor will arrange all necessary materials, tools, equipment, access ladders & scaffolding, measuring instruments and working consumables etc. needed for execution of the works. Safe custody of all such material will be contractor's sole responsibility. No extra charges will be paid for the same. Watch and ward of all material till the system is taken over by Jamia Hamdard shall be the sole responsibility of the contractor and pilferage etc. shall be entirely to his account.
- XXV. During execution of work, Engineer can make minor changes in the scope of work as per site conditions or other reasons. Contractor will have no extra claim in his rates for the same.
- XXVI. If during the execution of works, any damage is caused to Jamia Hamdard property by contractor's/contractors' workers, contractor will duly make good the loss. Jamia Hamdard has the right to make suitable deduction from contractor's bills along with penalty, if contractor fails to make good the loss.

- XXVII. During execution of work, the contractor/contractors should follow all standard norms of safety measures/precautions as per relevant IS codes and CPWD specifications to avoid accidents/damages to man, machines and buildings, at his own cost. Contractor will have his own arrangement to escort the labour to the nearest hospital for treatment in case any injury happens to any worker during execution of work.
- XXVIII. Manpower deployed by the contractor at our site for carrying out contract works is strictly prohibited being associated with any other works on the campus.
- XXIX. No material belonging to the contractor whether consumable or non-consumable should be brought inside the Jamia Hamdard campus without proper entry at the Main Gate nor any material should be taken out without proper gate pass issued by the authorized representatives of the Centre.
- XXX. During execution of the work, contractor should dispose of waste material on regular basis and should keep the area of work properly cordoned off and neat and clean as far as possible. After completion of work, contractor should clear the site completely of all unwanted and junk material before submitting his final bill.
- XXXI. Jamia Hamdard will provide electricity, if needed, the electrical energy meter will be provided by the contractor and necessary deduction will be made as per the actual consumption of electricity during execution of work. The contractor has to make his own arrangements for water.
- XXXII. Tender once submitted will remain with the Jamia Hamdard and will not be returned to the bidders.
- XXXIII. **Termination of Contract:** The Jamia Hamdard reserve the right to terminate the contract on account of poor workmanship, failure to mobilize site within 15 days, non-compliance of specifications for the works, abnormal delay in progress of work, violation of any contract provisions by the contractor. In such case, contractor's EMD and security deposit deducted so far will be forfeited.
- XXXIV. The contract can also be terminated on the request of contractor. In such cases the contractor is liable to pay Liquidated damages @ 5% of tendered value besides forfeiture of EMD & security deposit recovered so far.
- XXXV. Any dispute arising out of this contract will be subjected to jurisdiction of New Delhi/Delhi.
- XXXVI. Tenders not complying with any of the provisions stated in this tender document are liable to be rejected. Jamia Hamdard also reserves the right to accept or reject any or all the tenders without assigning any reason and does not bind himself to accept the lowest tender or split the work in two or three parts.
- XXXVII. That in the event of any difference, or dispute arising between the parties to this Agreement for any reasons whatsoever relating to the contract, whether during the substance of this Agreement or thereafter, it has specifically been agreed that the party will endeavor to amicably resolve the difference, but in case if dispute or differences still remain unresolved, the same shall be referred to the

sole Arbitrator appointed with the mutual consent of both the parties where decision shall be final and binding upon the parties concerned.

The parties shall act strictly according to provisions of Indian Laws while implementing and interpreting this MoU/agreement, NIT etc. The Courts at New Delhi shall have exclusive pecuniary and territorial jurisdiction for the purpose of this MoU/agreement, NIT etc.

ANNEXURE-"B"

(5) **LIST OF APPROVED MAKES**

| | | |
|---|--------------|---|
| 1 | Putty | Birla, JK Cement or as approved by the Engineer in-charge |
| 2 | Paint | Asian, Dulex, or as approved by the Engineer in-charge |
| 3 | Tile | Kajaria, Nitco or equivalent brands approved by the Engineer in-charge. |
| 4 | Roller blind | Vista or equivalent brands approved by the Engineer in-charge. |

(6) BILL OF QUANTITIES (BOQ)

Name of Work: Repair and painting work of existing Porta Cabins at SPER.

| S. No. | Description | Qty | Unit | Rate | Amount |
|--------|--|--------|------|------|--------|
| 1 | Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer- in - charge. All kinds of soil. | 4.00 | Cum | | |
| 2 | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. | 1.50 | cum | | |
| 3 | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources) | 2.00 | cum | | |
| 4 | Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement: 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources) over 75mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including necessary excavation, levelling & dressing & finishing the top smooth. | 6.00 | sqm | | |
| 5 | Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources). | 0.75 | cum | | |
| 6 | Centering and shuttering including strutting, propping etc. and removal of form for Lintels, beams, plinth beams, girders, bressumers and cantilevers | 4.00 | sum | | |
| 7 | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. Cold twisted bars | 100.00 | kg | | |
| 8 | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:4 (1 cement : 4 coarse sand). | 3.50 | cum | | |

| | | | | | |
|----|--|--------|-----|--|--|
| 9 | Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level. Cement mortar 1:3 (1 cement :3 coarse sand) | 30.00 | sqm | | |
| 10 | Extra for providing and placing in position 2 Nos 6mm dia. M.S. bars at every third course of half brick masonry. | 30.00 | sqm | | |
| 11 | Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws | 5.28 | sqm | | |
| 12 | Providing & Fixing decorative high pressure laminated sheet of plain /wood grain in gloss / matt/ suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS : 2046 Type S, including cost of adhesive of approved quality. 1.0 mm thick | 11.00 | sqm | | |
| 13 | Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing of plates with bolt, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works | 150.00 | kg | | |
| 14 | Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand): 25 mm thick | 25.00 | sqm | | |
| 15 | Kota stone slabs 20 mm thick in risers of steps, skirting, dado and pillars laid on 12 mm (average) thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slabs, including rubbing and polishing complete. | 10.00 | sqm | | |
| 16 | Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineerin- charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. | 25.00 | sqm | | |

| | | | | | |
|----|--|--------|-----|--|--|
| 17 | <p>Providing and fixing tiled false ceiling of specified materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections (galvanized @ 120 grams/ sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge.</p> <p>12.5 mm thick square edge PVC Laminated Gypsum Tile of size 595x595 mm, made of Gypsum plasterboard, manufactured from natural gypsum as per IS 2095 part I and laminated with white 0.16mm thick fire retardant PVC film on the face side and 12micron metalized polyester on the back side with all edges sealed with the face side PVC film which goes around and wraps the edges and is bonded to the edges and the back side metalized polyester film so as to make the tile a completely sealed unit.</p> | 40.00 | sqm | | |
| 18 | 12 mm cement plaster of mix : 1:4 (1 cement: 4 fine sand) | 22.00 | sqm | | |
| 19 | 15 mm cement plaster on the rough side of single or half brick wall of mix : 1:4 (1 cement: 4 fine sand) | 22.00 | sqm | | |
| 20 | 15 mm cement plaster 1:3 (1 cement: 3 coarse sand) finished with a floating coat of neat cement on the rough side of single or half brick wall. | 75.00 | sqm | | |
| 21 | Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade New work (two or more coats) over and including water thinnable priming coat with cement primer | 462.00 | sqm | | |

| | | | | | |
|----|--|--------|------|--|--|
| 22 | Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work | 32.00 | sqm | | |
| 23 | Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade: New work (Two or more coats applied @ 1.43 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm) | 275.00 | sqm | | |
| 24 | Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. | 737.00 | Sqm | | |
| 25 | Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete. | 500.00 | sqm | | |
| 26 | Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. With cement mortar 1:4 (1 cement : 4 fine sand) | 20.00 | sqm | | |
| 27 | Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in-charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) | 1.12 | cum | | |
| 28 | Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. In cement mortar | 3.00 | cum | | |
| 29 | Dismantling stone slab flooring laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead. | 15.00 | sqm | | |
| 30 | Providing and laying 60mm thick facioy made cement concrete interlocking paver block of M -30 grade made by block making machine with strong vibratory compaction, of approved size, design & shape, laid in required colour and pattern over and including 50mm thick compacted bed of coarse sand, filling the joints with line sand etc. all complete as per the direction of Engineer-in-charge. | 15.00 | sqm | | |
| 31 | Providing and fixing universal hydraulic door closer door with necessary accessories and screws etc. complete. (Heary Duty) | 2.00 | Each | | |
| 32 | Providing and fixing bright /matt finished Stainless Steel handles of approved quality & make with necessary screws etc all complete. 300 mm | 4.00 | each | | |

| | | | | | |
|----|--|--------|------|--|--|
| 33 | Walls- the Walls shall be made out of sandwich panel made two fibre reinforced cement facing sheets on either sides of a light weight concrete core. The core is made from mix of port land cement and binders. These fibre cement boards shall be of thickness up to 5mm. The core shall compose of portland cement and a mix of silacaceous & micaceous material. These panels shall have unique tongue and groove looking arrangement for jointing. The overall wall shall be 75mm thick. Make: Everest rapicon wall. | 30.00 | Sqm | | |
| 34 | Providing and Installing Roller blinds of approved make and fabric .The vertical blind will be fixed on the wall by gittey with screws compete as required | 156.00 | Sqft | | |
| 35 | G.I. U beading of 16 SWG G.I. sheet (zinc coating >120gm/ m ²) with ceramic tape of suitable thickness and fire resistant primer coating | 15.00 | Rmt | | |
| 36 | Shifting of malba by mean of Tractor Trolley | 4.00 | Each | | |
| 37 | Making of opening of approx Size 12''x12'' for fixing of Exhaust fan compete by dismantling the existing fibre cement boards & brickwork complete with finishing the same as required. | 8.00 | Each | | |
| | Total | | | | |

The bidder should quote unconditional rates & in computerized typed format. All pages should be duly signed & stamped, in case proper process is not followed the tender will be liable for rejection.

(Signature of the Contractor & Stamp)